

[Relays, Contactors & Switches](#) > [Switches](#) > [Pushbutton Switches](#)

# AV19 SPM 5A SPOT LED GREEN 24V

✓ ACTIVE

[Alcoswitch](#) | [Alcoswitch AV](#)

TE Part # **AV1910D624Q04**

TE Internal #: **1-2213765-5**

Configuration (Pole-Throw) : **Single Pole - Single Throw**

Number of Actuators : **Single**

Actuator Profile : **Flush**

Bushing Style : **Threaded**

Illuminated : **Yes**

[Add to List](#) ▾

[Similar Products](#)



**ORDER SAMPLES**

**Compatible Parts & Tooling**

## SHOP OUR DISTRIBUTORS

North America ▾

Request pricing, availability and customization options

**CONTACT US**



## We are here to help!

Get in touch with our product experts.



**CHAT WITH US**



**EMAIL US**



**CALL US**

### DOCUMENTS

### FEATURES

### PRODUCT COMPLIANCE

#### Product Drawings

AV19 SPM 5A SPOT LED GREEN 24V

[AV19 SPM 5A SPOT LED GREEN 24V](#) English

#### CAD Files

3D PDF

[3D\\_CVM\\_CVM\\_1-2213765-5\\_A.pdf](#) 3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1-2213765-5\\_A.2d\\_dxf.zip](#)

English

[ENG\\_CVM\\_CVM\\_1-2213765-5\\_A.3d\\_igs.zip](#)

English

[ENG\\_CVM\\_CVM\\_1-2213765-5\\_A.3d\\_stp.zip](#)

English

#### Agency Approvals

UL Report

[ENG\\_AAD\\_UL\\_E46765\\_20030916\\_\\_A.pdf](#)

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.



## Product Type Features

Dust Proof : **Yes**

Illuminated : **Yes**

Actuator Style : **Round**

Product Type : **Switch**

Switch Type : **Pushbutton**

## Configuration Features

Configuration (Pole-Throw) :

**Single Pole - Single Throw**

Number of Actuators : **Single**

Snap Action : **Without**

Support Bracket : **Without**

Tactile : **No**

Operating Function : **Momentary**

Detent Style : **Audible**

ESD Grounding Terminal : **Without**

## Electrical Characteristics

Voltage Rating (VAC): **250**

## Body Features

Case Material : **PBT**

Actuator Profile : **Flush**

Bushing Style : **Threaded**

## Contact Features

Contact Current Rating (A):

**5**

Switch Contact Plating Material :

**Silver**

## Termination Features

Termination Type : **Wire Lugs**

## Mechanical Attachment

Mounting Type : **Panel**

Mounting Angle : **Vertical**

## Housing Features

Process Sealed : **Yes**

## Dimensions

Bushing Length (in): **19**

## Statement of Compliance

[Statement of Compliance pdf](#)

## Compatible Parts


[> Contact Product Support](#)

## Also in the Series | [Alcoswitch AV](#)



**Pushbutton Switches**  
(705)

## Customers Also Bought



**TE Part #** 796635-2  
**2 POS 5.08MM R/A**  
**PLUG, TRM BLK**



**TE Part #** 5530841-2  
**CONN SEC II 15 POS**  
**100C/L**



**TE Part #** PKB70B1/4  
**PKB70B1/4=KNOB**  
**PLASTIC W/SKIRT**



**TE Part #** 3-794625-6  
**06P MICRO MNL**  
**ASSY, R/A, SMT LF**

[About TE Connectivity](#)

[For Partners](#)

[Customer Support](#)

**CALL US**

**LIVE CHAT**

[United States](#)

[Our Company](#)

[Events](#)

[TE News Center](#)

[Careers](#)

[Investors](#)

[Corporate Responsibility](#)

[Terms and Conditions of Sale](#)

[Distributors](#)

[Suppliers](#)

 [Email or Call Us](#)

 [Find Authorized Distributors](#)

 [What's New on TE.com](#)

 [Product FAQs](#)

[Select Country & Language](#)

[United States \(EN\)](#)

[Germany \(DE\)](#)

[China \(中文\)](#)

[Japan \(日本語\)](#)

▾

[Terms of Use](#) | [Privacy](#) | [Cookie Policy](#) | [Accessibility](#) | [Site Map](#)



© 2018 TE Connectivity. All Rights Reserved.