


TITLE:	A KEYED, ATM SERIES	DWG NO:	AWM-2PA	REV: A1	SH: 1	OF: 1

REVISIONS								
REV	ECO	DESCRIPTION	DATE	BY	APPR			
A1		RELEASE	26/JUL/16	JONY	TOMMY			







NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: THERMOPLASTIC; COLOR: GRAY

2. RoHS COMPLIANT

3. CAVITIES: 2

4. KEYED: A KEYED

5. USE WITH CONNECTORS ATM04-2P* (* = MODIFICATIONS AND COLORS)

6. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	AWM-2PA			RE	REF: WM-2PA DESCRIPTION							
	PART N	PART NUMBER									ITEM	
QUANTITY MATERIALS LIST												
	LESS OTHERWISE SPECIFIED		ATURES	DATE	ATE Amphon				$\overline{}$			
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions +1/64.		DRAWN:	JONY	26/JUL/16	Amphenol					ł		
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	Orion	26JUL16	Sine Systems - www.amphenol-sine.com						_	
3) Note reference	= X	ENGINEER:			44724 Morley Drive							
MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS:		APPROVAL:	Tommy	26JUL16	Clinton Township, MI 48036							
		P-WEDGELOCK, 2 POS,A KEYED, ATM SE						SFRI	iFS			
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL			J 0 _ L	0011, 21	00,71112	, ,		о <u>с</u> , (,		
				A	C-	DWG NO:	AWM-2	2PA		A	VISION	
				SCALE: NC	DNE			SHEET	1	OF	1	