

Actual

Catalog Number: BC71

 Product ID:
 7TAI029630R0051

 UPC Number:
 78621088027

Status: A

Non-Insulated Heavy Duty Ring Terminal, Length .93 Inches, Width .51 Inches, Bolt Hole 1/4 Inch, Wire Range #16-#14 AWG Heavy Duty, Copper, Tin Plated, 500 Pack

- These non-insulated ring terminals are made of electrolytic copper for high conductivity.
- They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire).
- · Serrated barrel increases grip on wire.
- Application Tools: WT110M, WT111M, WT112M, WT2000, ERG4002
- Alternate Package Qty: BC14-14

North American Specifications (UNSPSC)		
UNSPSC	39121432 Electrical terminals	
IGCC	4603 Electrical terminals	
Brand Name	Sta-Kon	
Туре	Ring Terminal	
Special Features	These non-insulated ring terminals are made of	
	electrolytic copper for high conductivity. They can	
	be installed with crimping tools having a single in-	
	dentor or double indentor (recommended for solid	
	wire). Serrated barrel increases grip on wire.	
Standard	UL E9809	
Wire Size	16-14 AWG	
Voltage Rating	600V	
Material	Copper	
Color	Metallic	

European Specifications (ETIM)		
ETIM	EC001052 Solderless copper terminals for copper	
	conductors	
Flange shape	Ring shape	
Insulation	None	
Reel packaging	N	
AWG-range	16-14	
Material	Copper	
Surface protection	Tinned	

Packaging	
Inner Quantity	500
Inner Dimensions (inches)	4x4x3
Outer Quantity	5000
Outer Dimensions (inches)	4.4x4.2x3.1
Weight Uom	5 lbs. per 1000

## **Documents / Support Tools**

Technical Drawing / Data Sheet US Available on Website

## For further technical assistance, please contact us...

ABB Installation Products Technical Support MS 3B-50

860 Ridge Lake Blvd. Memphis, TN 38120 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321

ABB Installation Products - USA 860 Ridge Lake Blvd. Memphis, TN 38120 www.tnb.com



Email:techsupport@tnb.com