

Distributors: [Log in](#) or [Register](#)
[live chat for website](#)

or call

770.534.4585

Enter part number or keyword ...

SEARCH[Home](#)[Company](#)[Products](#)[Resources](#)[Quick Buy](#)[Support](#)[Contact Us](#)[My Account](#)[My Cart](#)[Checkout](#)[Log In](#)You're here: [Home](#) / [Standard, CDD series, Female Rectangular Insert, size 57.27, 42 pin, 10 amp, Crimp](#)

Double click on above image to view full picture



Standard, CDD series, Female Rectangular Insert, size 57.27, 42 pin, 10 amp, Crimp

Part #CDDF-42

Stock: 171 in stock.

Qty: **ADD TO CART**[Email this Product](#)[Add to Product List](#)

Quick Overview

Female insert for Rectangular Connector, 42 Pins

[Specification](#)[Description](#)[Mating Inserts](#)[Mating Hood](#)[Mating Base](#)[Crimp Pins](#)[Crimp Tools](#)[Downloads](#)

Gender	Female
Pin Count	42
Amperage Rating	10
Voltage Rating	600
Product Type	Rectangular Connectors
Component Type	Female Rectangular Insert
ILME Series	CDD
Housing/Insert Type	Standard
Temperature Range in Degrees Celsius	N/A
Insert Dimension	57.27
Double Insert	N/A
Enclosure Dimension	57.27
Termination	Crimp
Wire Gauge	N/A
Upper AWG	14
Lower AWG	26
Contact Plating	N/A
Mating Thread / Type Head 1	N/A
Mounting Style	N/A
Cover	No
Hood Entry	N/A
Hood Thread	N/A
Pegs	N/A
Lever Type	N/A
Gasket	No
Number of Entries	N/A
Weight (lbs.)	0.1120

ILME is a globally recognized leader in the heavy duty industrial connector industry. The CDD series of high density crimp terminal inserts are rated for 10 amps with a choice of pin counts that include 24, 38, 42, 72, 76, 108, 144, and 216. These high density inserts provide a small foot print for a large concentration of contact points. The ILME rectangular connector product offering includes high quality connector inserts (male and female) made of self extinguishing thermoplastic materials which offer a UL working temperature from -40-deg C to +125-deg C. When combined with the mating hoods and bases, these inserts create reliable, easy to use, quick disconnect solutions for a wide range of industrial automation applications.



Standard, CDD series, Male Rectangular Insert, size 57.27, 42 pin, 10 amp, Crimp
CDDM-42

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Front PG16 cable entry
CAF-10

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Front PG16 cable entry
CAF-10G

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Side PG21 cable entry
CAO-10.21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Side PG29 cable entry
CAO-10.29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Side PG21 cable entry
CAO-10L21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Side PG29 cable entry
CAO-10L29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Side PG21 cable entry
CAO-10X

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Side PG29 cable entry
CAO-10X29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Center Latch, Side PG21 cable entry
CAO-10YX21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Center Latch, Side PG29 cable entry
CAO-10YX29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Side .75-NPT cable entry
CAOT-10.5

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Side .75-NPT cable entry
CAOT-10.5L

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Side .75-NPT cable entry
CAOT-10.5X

[Call for availability](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Side 1.0-NPT cable entry
CAOT-10.6

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Side 1.0-NPT cable entry
CAOT-10.6L

[Call for availability](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Peps, Top PG21 cable entry
CAV-10.21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Peps, Top PG29 cable entry
CAV-10.29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top PG21 cable entry
CAV-10G

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top PG29 cable entry
CAV-10G29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Peps, Top PG21 cable entry
CAV-10L21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Peps, Top PG29 cable entry
CAV-10L29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Single Latch with gasket, Top PG21 cable entry
CAV-10LG21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Single Latch with gasket, Top PG29 cable entry
CAV-10LG29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Top PG21 cable entry
CAV-10X

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Top PG29 cable entry
CAV-10X29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Center Latch, Top PG21 cable entry
CAV-10YX21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Center Latch, Top PG29 cable entry
CAV-10YX29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Top .75-NPT cable entry
CAVT-10.5

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top .75-NPT cable entry
CAVT-10.5G

[Call for availability](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Top .75-NPT cable entry
CAVT-10.5L

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Single Latch with gasket, Top .75-NPT cable entry

CAVT-10.5LG

[Call for availability](#)

[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Top 1.0-NPT cable entry
CAVT-10.6

[Add to Cart](#)

[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top 1.0-NPT cable entry
CAVT-10.6G

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 2 Pegs, Top 1.0-NPT cable entry
CAVT-10.6L

Call for availability
[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Single Latch with gasket, Top 1.0-NPT cable entry
CAVT-10.6LG

Call for availability
[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, Double Latch, Top 1.0-NPT cable entry
CAVT-10.6X

Call for availability
[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Side PG16 cable entry
CHO-10

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 2 Pegs, Side PG16 cable entry
CHO-10L

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch, Side PG16 cable entry
CHO-10X

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 4 Pegs, Side .5-NPT cable entry
CHOT-10.4

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 2 Pegs, Side .5-NPT cable entry
CHOT-10.4L

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch, Side .5-NPT cable entry
CHOT-10.4X

Call for availability
[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 4 Pegs, Top PG16 cable entry
CHV-10

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top PG16 cable entry
CHV-10G

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 2 Pegs, Top PG16 cable entry
CHV-10L

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Single Latch with gasket, Top PG16 cable entry
CHV-10LG

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch, Top PG16 cable entry
CHV-10X

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, 4 Pegs, Top .5-NPT cable entry
CHVT-10.4

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Hood, size 57.27, Double Latch with gasket, Top .5-NPT cable entry

CHVT-10.4G
Call for availability
[Add to Product List](#)



Standard, Rectangular Hood, size 57.27, 2 Pegs, Top .5-NPT cable entry
CHVT-10.4L

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Bulkhead mount, size 57.27, Stainless Steel Double Latch V-Type
C71-10

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, Side PG21 cable entry
CAP-10.21

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, 2 Side PG21 cable entries
CAP-10.221

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, 2 Side PG29 cable entries
CAP-10.229

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, Side PG29 cable entry
CAP-10.29

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base with cover, Surface mount, size 57.27, 4 Pegs, Side PG21 cable entry
CAP-10CS

Call for availability

[Add to Product List](#)



Standard, Rectangular Base with cover, Surface mount, size 57.27, 4 Pegs, 2 Side PG21 cable entries
CAP-10CS2

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base with cover, Surface mount, size 57.27, 4 Pegs, 2 Side PG29 cable entries
 CAP-10CS229
Call for availability
[Add to Product List](#)



Standard, Rectangular Base with cover, Surface mount, size 57.27, 4 Pegs, Side PG29 cable entry
 CAP-10CS29
[Add to Cart](#)
[Add to Product List](#)



Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, Side PG21 cable entry
 CAP-10L
Call for availability
[Add to Product List](#)



Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, 2 Side PG21 cable entries
 CAP-10L2

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, 2 Side PG29 cable entries
 CAP-10L229

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, Side PG29 cable entry
 CAP-10L29

[Add to Product List](#)



Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, Side PG21 cable entry
 CAP-10LS

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, 2 Side PG21 cable entries
 CAP-10LS2

[Add to Cart](#)

[Add to Product List](#)



Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, 2 Side PG29 cable entries
 CAP-10LS229

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, Side PG29 cable entry
CAP-10LS29

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Base, Surface mount, size 57.27, 2 Pgs, 2 Side PG29 cable entry
CAP-10YC229

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, Side .75-NPT cable entry
CAPT-10.5

[Call for availability](#)[Add to Product List](#)

Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, 2 Side .75-NPT cable entries
CAPT-10.5/2

[Call for availability](#)[Add to Product List](#)

Standard, Rectangular Base with cover, Surface mount, size 57.27, 4 Pgs, 2 Side .75-NPT cable entries
CAPT-10.5/2CS

[Call for availability](#)[Add to Product List](#)

Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, 2 Side .75-NPT cable entries
CAPT-10.5/2L

[Call for availability](#)[Add to Product List](#)


Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, 2 Side .75-NPT cable entries
CAPT-10.5/2LS

[Call for availability](#)[Add to Product List](#)

Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, Side .75-NPT cable entry
CAPT-10.5L

[Call for availability](#)[Add to Product List](#)

Standard, Rectangular Base with cover, Single Latch, Surface mount, size 57.27, Side .75-NPT cable entry
CAPT-10.5LS

[Add to Cart](#)[Add to Product List](#)

Standard, Rectangular Base, Double Latch, Surface mount, size 57.27, Side 1.0-NPT cable entry

CAPT-10.6

Call for availability

[Add to Product List](#)



Standard, Rectangular Base, Single Latch, Surface mount, size 57.27, Side 1.0-NPT cable entry

CAPT-10.6L

Add to Cart

[Add to Product List](#)



Standard, Rectangular Base, Bulkhead mount, size 57.27, Double Latch

CHI-10

Add to Cart

[Add to Product List](#)



Standard, Rectangular Base, Bulkhead mount, size 57.27, 4 Pegs

CHI-10C

Add to Cart

[Add to Product List](#)



Standard, Rectangular Base, Bulkhead mount, size 57.27, 4 Pegs & cover

CHI-10CS

Add to Cart

[Add to Product List](#)



Standard, Rectangular Base, Bulkhead mount, size 57.27, Single Latch

CHI-10L