


## Plastic Boxes

### Utilibox Style A\_B



**Style A**



**Style B**

### Design Features:

#### Available in two versions:

**Version 1** Textured finish, optional molded-in mounting bracket.

**Version 2:** Textured finish, .010" recessed area in lid, optional molded-in mounting bracket.

GASKETED OPTIONS - Style B Only

\*ABS Plastic with flammability rating of UL94-5VA and suggested service temperature of -20 degrees C to +70 degrees C.

\*Comes with close fitting interlocking lid and assembly hardware.

\*Molded-in mounting brackets are provided on catalog numbers having -MB suffix.

\*Finish: Black.

## Finishes:

UTILIBOX - Style A									
Catalog Number					Int. Dimensions*				Weight (Ozs.)
Textured	Recessed	A	B	C	D	E	F	G	
CU-3281 <a href="#">Check Stock</a>	CUR-3281 <a href="#">Check Stock</a>	4.60"	3.10"	1.87"	1.75"	4.34"	2.84"	1.67"	4.8
CU-3281-MB <a href="#">Check Stock</a>	CUR-3281-MB <a href="#">Check Stock</a>	4.60"	3.10"	1.87"	1.75"	4.34"	2.84"	1.67"	5.3
CU-3282 <a href="#">Check Stock</a>	CUR-3282 <a href="#">Check Stock</a>	4.60"	4.60"	2.37"	2.25"	4.34"	4.34"	2.17"	6.8
CU-3282-MB <a href="#">Check Stock</a>	CUR-3282-MB <a href="#">Check Stock</a>	4.60"	4.60"	2.37"	2.25"	4.34"	4.34"	2.17"	7.3
CU-3283 <a href="#">Check Stock</a>	CUR-3283 <a href="#">Check Stock</a>	6.10"	4.60"	2.37"	2.25"	5.84"	4.34"	2.17"	8.8
CU-3283-MB <a href="#">Check Stock</a>	CUR-3283-MB <a href="#">Check Stock</a>	6.10"	4.60"	2.37"	2.25"	5.84"	4.34"	2.17"	9.3
CU-3284 <a href="#">Check Stock</a>	CUR-3284 <a href="#">Check Stock</a>	7.60"	4.60"	2.37"	2.25"	7.34"	4.34"	2.17"	10.8
CU-3284-MB <a href="#">Check Stock</a>	CUR-3284-MB <a href="#">Check Stock</a>	7.60"	4.60"	2.37"	2.25"	7.34"	4.34"	2.17"	11.3
CU-3285 <a href="#">Check Stock</a>	CUR-3285 <a href="#">Check Stock</a>	8.25"	5.15"	3.12"	3.00"	7.99"	4.89"	2.92"	16.0
CU-3285-MB <a href="#">Check Stock</a>	CUR-3285-MB <a href="#">Check Stock</a>	8.25"	5.15"	3.12"	3.00"	7.99"	4.89"	2.92"	16.5
CU-3286 <a href="#">Check Stock</a>	CUR-3286 <a href="#">Check Stock</a>	10.15"	6.15"	3.13"	3.00"	7.95"	5.75"	2.90"	21.0
CU-3286-MB <a href="#">Check Stock</a>	CUR-3286-MB <a href="#">Check Stock</a>	10.15"	6.15"	3.13"	3.00"	7.95"	5.75"	2.90"	21.0
CU-3287	CUR-3287	6.10"	4.60"	1.37"	1.25"	5.84"	4.34"	1.17"	5.9

<a href="#">Check Stock</a>	<a href="#">Check Stock</a>								
CU-3287-MB <a href="#">Check Stock</a>	CUR-3287-MB <a href="#">Check Stock</a>	6.10"	4.60"	1.37"	1.25"	5.84"	4.34"	1.17"	5.9
<b>New 2018</b>	<b>Style B</b>								
CU-3295 <a href="#">Check Stock</a>	CUR-3295-MB <a href="#">Check Stock</a>	8.25"	5"	1.5"	1.25"	7.99"	4.97"	1.47"	0.7lb
CU-3296 <a href="#">Check Stock</a>	CUR-3296-MB <a href="#">Check Stock</a>	8.25"	5"	1.5"	1.25"	7.99"	4.97"	1.47"	0.7lb
<b>New 2018 GASKETED OPTIONS</b>	<b>Style B</b>								
CU-3297 <a href="#">Check Stock</a>		8.25"	5"	1.5"	1.25"	7.99"	4.97"	1.47"	0.7lb
CU-3298 <a href="#">Check Stock</a>		8.25"	5"	1.5"	1.25"	7.99"	4.97"	1.47"	0.7lb

Catalog numbers with -MB or -CMB suffix have molded-in mounting brackets.

\*Reference only - Request drawing for internal configuration and dimensions.