

You can view this page in:

- EN DE SV FR C6 DA E6 E6 FR HU IT JA KO NL NO PL PT RU SK TR ZH

Detailed information for: DP40C2P-2

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

[Print...](#)

[Print to Pdf...](#)

[Data Sheet](#)

[Downloads](#)

DP40C2P-2

General Information

Extended Product Type: DP40C2P-2

Product ID: 1SBX104200R1300

EAN: 0662019755564

Catalog Description: DP40C2P-2 Contactor

Long Description: DP40C2P-2 DP contactor provide outstanding performance in various HVAC application and meet all relevant standards, including UL, CSA and IEC. Industry standard mounting plate provides easily accessible mounting holes.

Categories

Products » Low Voltage Products and Systems » Control Products » Contactors » Definite Purpose Contactors

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Dimensions

Product Net Width: 52.7 mm

Product Net Depth / Length: 60.1 mm

Product Net Height: 82.9 mm

Product Net Weight: 0.27 kg

Technical

Number of Main Contacts NO: 2

Standards: IEC 60947-4-1
UL 508

Rated Frequency (f): Control Circuit 50 Hz
Control Circuit 60 Hz

Rated Control Supply Voltage (Us): 208 / 240 V AC

Environmental



Ambient Air Temperature:	Operation -40 ... +65 °C
RoHS Status:	No declaration needed
Technical UL/CSA	
Horsepower Rating UL/CSA:	(110 ... 120 V AC) Single Phase 2 Hp (220 ... 240 V AC) Single Phase 3 Hp
Full Load Amps AC Resistance (Heating):	(600 V AC) 50 A
Full Load Amps Motor Use:	40 A
Locked Rotor Amps:	(480 V AC) 160 A (600 V AC) 120 A

Certificates and Declarations (Document Number)


cUL Certificate:	cUL_E224401
Declaration of Conformity - CE:	NoDecNee
RoHS Information:	NoDecNee
UL Certificate:	UL_E224401

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	50.8 mm
Package Level 1 Depth / Length:	63.5 mm
Package Level 1 Height:	88.9 mm

Classifications

Object Classification Code:	Q
ETIM 7:	EC000066 - Power contactor, AC switching
UNSPSC:	39121529



Contact us

Submit your inquiry and we will contact you

[CONTACT US](#)

Or contact your [ABB Contact Center](#)