



Raychem Soldersleeve Device for Space Applications

TE Internal #: EM7793-000

Raychem Soldersleeve Device for Space Applications, SolderSleeve Shield Terminators, Wire Terminator / Cable Terminator / Shield Terminator

[View on TE.com >](#)

Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



SolderSleeve Shield Terminator Product Type: **Cable Terminator, Shield Terminator, Wire Terminator**

Operating Temperature (Max): **150 °C**

Expanded Inside Diameter (Min): **3.05 mm [ .12 in ]**

Recovered Inside Diameter (Max): **1.78 mm [ .07 in ]**

Pre-Installed Lead: **No**

**Features**

**Product Type Features**

Splice Type	SolderSleeve
Temperature Indicator	No
Temperature Indicator Type	None
SolderSleeve Shield Terminator Product Type	Cable Terminator, Shield Terminator, Wire Terminator

**Configuration Features**

Pre-Installed Lead	No
--------------------	----

**Dimensions**

Expanded Inside Diameter (Min)	3.05 mm[.12 in]
Recovered Inside Diameter (Max)	1.78 mm[.07 in]

**Usage Conditions**

Operating Temperature (Max)	150 °C
Wire Temperature (Max)	150 °C

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
------------------------------	---------------

EU ELV Directive 2000/53/EC

Not Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUL 2021

(219)

Candidate List Declared Against: JUL 2021

(219)

SVHC &gt; Threshold:

Pb (37% in Solder)

**Article Safe Usage Statements:**

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability


**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**

TE Part # CJ2087-000  
HL2010E-KIT-120V

Also in the Series | [Raychem Soldersleeve Device for Space Applications](#)



SolderSleeve Shield Terminators(3)


## Customers Also Bought



TE Part #806823-000  
Bulbous Heat Shrink Boots: Lipped, Right Angle



TE Part #ABC03N-20P  
IN-LINE RECP



TE Part #D17660-000  
D-200-82



TE Part #ABC06N-22P  
IN-LINE PLUG



TE Part #D369-P33-NS1  
369 3 WAY PLUG, CRIMP, SKT



TE Part #DCR-1A-06  
COMPOSIT RAIL



TE Part #C88166-000  
S200-1-W1-22-9



TE Part #A74731-000  
S200-2-W1-22-9



TE Part #A59779-000  
S200-3-01-100HN

## Documents

### Product Drawings

[S01-6-R](#)

English

### Datasheets & Catalog Pages

[1654025\\_Sec8\\_B-155\\_CWT\\_SO63\\_S01to03\\_SO96](#)

English

[SolderSleeve for Space](#)

English

