

- Resistant to common fluids and chemicals
- Rugged installation
- Seals and protects cable ends, providing environmental protection

ENC
Adhesive lined end caps


Raychem

Raychem heat-shrinkable Polyolefin cable caps are used to seal the ends of plastic, rubber and paper insulated cables from moisture, dirt and corrosion.

Cable caps are internally coated with a hot-melt adhesive. They can be used on cables at up to 0.05 MPa internal pressure between -30° and 70°C.

Each cable cap covers a wide range of cable sizes as shown in the table below.

Ordering information



Product/Size	Application Range (diameter)	H a min.	b max.	P b ±10%	R b ±10%	W b ±20%
ENC-11/ADH	4 - 8	10	4	38	34	2.0
ENC-22/ADH	8 - 17	20	7.5	55	50	2.8
ENC-33/ADH	17 - 30	35	15	90	80	3.2
ENC-44/ADH	30 - 45	55	25	143	130	3.9
ENC-48/ADH	45 - 65	75	32	150	140	3.3
ENC-55/ADH	65 - 95	100	45	162	140	3.8
ENC-66/ADH	95 - 115	120	70	145	123	3.8

Notes:

- Dimensions in millimeters
- a = as supplied
- b = after free recovery
- ADH = Adhesive Lined

Raychem is a trademark of Tyco Electronics Corporation.

Tyco Electronics UK Ltd
Cheney Manor Industrial Estate
Swindon, Wiltshire SN2 2QE
Tel: (44)-1793-528171
Fax: (44)-1793-616652

All of the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.