

Black Box Products

Cables > Copper Patch Cables



GigaBase 350 CAT5e Patch Cable (UTP), Snagless Boots, Crossover, 10-ft. (3.0-m), Red

The great choice for Gigabit crossover applications.

EVCRB83-0010

Extended Double Diamond™ Warranty Available (Lifetime)

Product Highlights

- Tested to 350 MHz.
- Meets or exceeds CAT5e T568B standards.
- · Specially designed for use with other GigaBase components.
- · Guaranteed for life!

Details

Description

GigaBase 350 CAT5e Patch Cable (UTP), Snagless Boots, Crossover, 10-ft. (3.0-m), Red

Quick Facts

- Tested to 350 MHz.
- Meets or exceeds CAT5e T568B standards.
- Specially designed for use with other GigaBase components.
- Guaranteed for life!

Further Details

- Use this 350-MHz cable when making switch-to-switch or other crossover connections in your CAT5e network.
- Improved near-end crosstalk (NEXT) compared to standard CAT5 cable.
- · Superior construction offers significant headroom.
- Stranded conductors for short runs.
- Tuned-plug design maintains a tighter twist and reduces noise.
- · Enhanced performance parameters and electrical characteristics.
- Gold-plated contacts are designed for an insertion/extraction life of 1000 cycles.
- This patch cable has four pairs, 24 AWG construction, RJ-45 connectors, and a PVC jacket.
- Quantity discounts and 25-packs are available upon request



Tech Spec

Technical Specifications for GigaBase 350 CAT5e Patch Cable (UTP), Snagless Boots, Crossover, 10-ft. (3.0-m), Red: Attenuation (Maximum) 24.2 dB/100 m (328.1 ft.) at 100 MHz:

Attenuation (Maximum)	24.2 dB/100 m (328.1 ft.) at 100 MHz;
	49.3 dB/100 m (328.1 ft.) at 350 MHz
Cable Type	4-pair UTP
Conductor Gauge	24 AWG, stranded
Frequency	Up to 350 MHz
Impedance	100 ± 15 ohms
NEXT (Minimum)	40.3 dB/100 m (328.1 ft.) at 100 MHz;
	32.2 dB/100 m (328.1 ft.) at 350 MHz
PS-NEXT (Minimum)	38.3 dB/100 m (328.1 ft.) at 100 MHz;
	30.2 dB/100 m (328.1 ft.) at 350 MHz
Return Loss (Minimum)	20.1 dB/100 m (328.1 ft.) at 100 MHz;
	16.3 dB/100 m (328.1 ft.) at 350 MHz
Standards	TIA/EIA-568-B.2 Category 5e

This product works with:

GigaStation High-Density Multimedia Patch Panels GigaBase CAT5e Patch Panels GigaBase CAT5e Jacks GigaBase2 CAT5e Jacks GigaStation Wallplates GigaStation2 Wallplates It also works with all standard jacks, wallplates, and other RJ-45 hardware.