# F204 B S-63/0,3



F204 B S-63/0,3 Residual Current Circuit Breaker



\_\_

### **General Information**

| Extended Product Type | F204 B S-63/0,3   |
|-----------------------|---|
| Product ID            | 2CSF204892R3630   |
| EAN                   | 8012542357933   |
| Catalog Description   | F204 B S-63/0,3 Residual Current Circuit Breaker  |
| Long Description      | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is particularly suitable for the protection against smooth d.c. earth fault currents. |

\_\_

### Ordering

| Minimum Order Quantity | 1 piece  |
|------------------------|----------|
| Customs Tariff Number  | 85363030 |

\_\_\_

#### Popular Downloads

| Data Sheet, Technical Information | 9AKK107046A0424             |
|-----------------------------------|-----------------------------|
| Instructions and Manuals          | Manual sheet inside the box |

#### Dimensions

| Product Net Width          | 0.072 m  |  |
|----------------------------|----------|--|
| Product Net Height         | 0.085 m  |  |
| Product Net Depth / Length | 0.069 m  |  |
| Product Net Weight         | 0.380 kg |  |

\_

#### Technical

| Standards                       | IEC/EN 61008                                 |
|---------------------------------|--|
| Operating Characteristic        | Selective                                    |
| Type of Residual Current        | B type                                       |
| Rated Residual Current          | 300 mA                                       |
| Rated Current (I <sub>n</sub> ) | 63 A   |
| Number of Poles                 | 4  |
| Position of Neutral Terminals   | Right  |
| Power Loss                      | at Rated Operating Conditions per Pole 4.5 W |

F204 B S-63/0,3

2

\_

#### Environmental

| Ambient Air Temperature | Operation -25 +55 °C<br>Storage -40 +70 °C |
|-------------------------|--|
| RoHS Status             | Following EU Directive 2011/65/EU          |

\_

## Certificates and Declarations (Document Number)

| Declaration of Conformity - CE | 9AKK106713A5602             |
|--------------------------------|-----------------------------|
| Environmental Information      | Refer to RoHS               |
| Instructions and Manuals       | Manual sheet inside the box |
| RoHS Information               | 2CSC423001K2702             |

\_

### **Container Information**

| Package Level 1 Units          | 1 piece       |
|--------------------------------|---------------|
| Package Level 1 Width          | 0.073 m       |
| Package Level 1 Height         | 0.078 m       |
| Package Level 1 Depth / Length | 0.09 m        |
| Package Level 1 Gross Weight   | 0.525 kg      |
| Package Level 1 EAN            | 8012542357933 |

\_\_\_

### Classifications

| Object Classification Code | Q  |
|----------------------------|--|
| ETIM 4                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 6                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 7                     | EC000003 - Residual current circuit breaker (RCCB) |

\_

### Categories

 $Low\ Voltage\ Products\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Resi$ 

