



Flashlights & Accessories



- General Use Lights
- Tactical Use Lights
- Professional Use Lights
- Headlamps
- Camping/Emergency Use Lights
- Leflectors
- Accessories
- Lifetime Warranty

www.nteinc.com



General Use Lights

Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
TT1006CP	6 LED Black Alum V2 Flashlight	6.2	White	2.9/63	(3)-AAA	
TT1012CP	16 LED Black Alum V2 Flashlight	10.7	White	3.8/100	(3)-C	N.B
TT1089CP	9 LED Black Alum V2 Flashlight	8.7	White	1.1/48	(2)-C	6
TT1106CP	6 LED Black Alum V2 (2) Color Flashlight	6.2	White/ Red	1.8/46	(3)-AAA	-
TT7752CP	USB Flex Reading Light	12 flex neck	White	.25/2.3	(3)-AAA	3
TT7750CP	Car DC Flex Reading Light	10 flex neck w/ 3 body	White	.25/4	Car	
LL7751	Mobile Reading Lamp w/ Car Adapter	12 flex neck w/ 3 body	White	.25/2.3	(3)-AAA	375
TT7583CP	Medium Flex Light	7.2 flex neck w/ 3.7 body	White	.2/4	(1)-AAA	
TT7582CP	Small Flex Light	3.6 flex neck w/ 2.4 body	White	.77/6	(4)-AG13	-
LL7564	Small Flex Light	3.6 flex neck w/ 2.4 body	Blue	.78/.9	(4)-AG13	
LL7582R	Small Flex Light	3.6 flex neck w/ 2.4 body	Red	.15/1.5	(4)-AG13	And the second sec
TT7578CP	Micro Flex Light	2.7 flex neck w/ 2 body	White	.24/2.7	(4)-AG5	
LL7580F	Flex Light w/Pen	2.5 flex neck w/ 5 body	White	.19/2.5	(4)-AG5	
TT7463CP	V2 Mini Moon Light	4.4	White	.2/2.1	(1)-AAA	
TT7465CP	V2 Micro Moon Light	3	White	.2/1.7	(4)-AG5	
TT7466CP	V2 Nano Light	2.8	Red	.06/1	(1)- BR435	
TT75331CP	Clip Light	2	White	.4/5	(3)-AG13	A.
TT7580CP	3-way Flash and Pen	4.9	White	.19/2.5	(4)-AG5	
TT7533CP	V12 Turbo Torch	5.5	White	.28/8.5	(2)-AA	

General Use Lights



Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
TT7537R/2CP	Pro Emergency Light w/3-way Flash	5.5 w/5.5 refractor rod	Red	1.9/10.7	(2)-AA	
LL7545	3 LED V2 Triplex	5.4	Red	N/A	(1)-AA	Las as as
TT7546CP	3 LED V2 Triplex	5.4	Blue	2.29/5.6	(1)-AA	10 P - 1 - 17
TT7547CP	3 LED V2 Triplex	5.4	White	1.0/17	(1)-AA	
TT7547RGCP	3 LED V2 Triplex w/rubber grip	5.4	White	1.01/17	(1)-AA	
LL7510	Keychain Light	2	Red	varies w/ color	(4)-AG3	
LL7512	Keychain Light	2	Blue	.37/1	(4)-AG3	
LL7513	Keychain Light	2	White	.38/4.5	(4)-AG3	Rear
LL7514	Keychain Light	2	Green	varies w/ color	(4)-AG3	()
LL7515	Keychain Light	2	Orange	varies w/ color	(4)-AG3	\smile
TT7550CP	Black Keychain Light	2.2	Red	.15/1.5	(2)-AG13	() and
TT7552CP	Black Keychain Light	2.2	Blue	.35/.9	(2)-AG13	
TT7553CP	Keychain Light	2.2	White	.4/5	(2)-AG13	
TT7554CP	Black or Silver Keychain Light	2.2	Green	.26/4.1	(2)-AG13	
TT7555CP	Keychain Light	2.2	Orange	.3/.8	(2)-AG13	
TT7527CP	UFO Keychain Light	1.2 dia	Blue	.5/5.6	(2)- CR1620	Q
TT7524CP	UFO Keychain Light	1.2 dia	White	.5/5.6	(2)- CR1620	
TT7537CP	Alien Keychain Light	1.7 height	Blue	.22/.8	(2)- CR1632	and the second s
TT7538CP	Alien Keychain Light	1.7 height	White	.22/.8	(2)- CR1632	()
LL7591	3-way flash keychain light with refractor	2.6 body w/4.5 refractor	Green	.11/ varies w/ color	(4)-AG5	
TT7596CP	3-way flash keychain light with refractor	2.6 body w/4.5 refractor	Blue	.11 /varies w/ color	(4)-AG5	
TT7598CP	3-way flash keychain light with refractor	2.6 body w/4.5 refractor	Red	.11 /varies w/ color	(4)-AG5	Ord

Batteries included with all flashlights.

TT = Clam Shell LL = Gift Box All lights have silver housing other than where noted.

All lights have 1 LED other than where noted.





Professional Use Lights

Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
LL7795	Black V2 Focusing & Dimming Flashlight (Twist For Narrow or Broader Beam)	4.7	White	2.6/53	(3)-AAA	Program Prov
TT7798CP	Black V2 Dimming Flashlight	4.5	White	2.64/51	(3)-AAA	· E Churchener
TT7845CP	Black V2 Focus Beam Flashlight (Twist For Narrow or Broader Beam)	6	White	1.5/45	(3)-AAA	
LL7846	Silver Focus Beam Flashlight (Twist For Narrow or Broader Beam)	6	White	1.5/45	(3)-AAA	(9) · · · · · ·
TT7853CP	Black Digitac Rechargeable Focus Flashlight With Recharger Unit, Batteries, Charger Adapter Included	4.7	White	3.5/67	N/A	
LL7854	Silver Digitac Rechargeable Focus Flashlight With Recharger Unit, Batteries, Charger Adapter Included	4.7	White	3.5/67	N/A	
LL7862	Black V2 3W Rechargeable Focus Beam With Recharger Unit, Batteries, Charger Adapter Included	10	White	5.6/79	N/A	
LL7874	Multi Task LED Light With Flexible Magnetic Stand and Accessories	4.5	White	1.3/39	(3)-AAA	in the
TT7817CP	Mechanic's Light	5.5	White	.24/2.7	(2)-AA	
TT7584CP	Large Flex Light	13.6 flex neck w/ 5.5 body	White	.22/1.8	(1)-AA	
TT7526CP	V16 Pen Light	3.9	White	.09/2.1	(2)- BR435	
TT7506CP	Emergency Rechargeable Car Light With Flare Cone (Includes Charger)	3.9 flare cone w/ 3.5 body	White	.5/6.2	Car	
TT7575CP	Auto LED (Charges In Vehicle's Cigarette Lighter)	1.9	White	.26/5.6	Car	

Professional Use Lights



Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
TT7446CP	Black V2 3 Watt Power Chip Flashlight	10.9	White	5.7/76	(3)-C	
LL7447	Silver V2 3 Watt Power Chip Flashlight	10.9	White	5.7/76	(3)-C	
TT7840CP*	Black Digitac I Flashlight (With High Intensity 1.25W LED)	4	White	1.3/38	(1)-AA	
TT7841CP*	Silver Digitac I Flashlight (With High Intensity 1.25W LED)	4	White	1.3/38	(1)-AA	
LL7842*	Stainless Steel Digitac I Flashlight (With High Intensity 1.25W LED)	4	White	1.3/38	(1)-AA	· · · · · · · · · · · · · · · · · · ·
LL7730*	V6 Stainless Steel Power Flashlight (With High Intensity 1.25W LED)	4.1	White	3.4/65	(3)-AAA	•••
LL7732*	6 LED V6 Stainless Steel Flashlight	3.6	White	2.9/73	(3)-AAA	•
LL7734*	V10 Stainless Steel Power Chip Flashlight (With High Intensity 1.25W LED)	2.9	White	3.9/69	(3)- AAAA	-
LL7735*	3 LED V10 Stainless Steel Triplex Flashlight	2.9	White	2/17.4	(3)- AAAA	* .
TT7461CP*	Silver V2 Power Chip Flashlight (With High Intensity 1.25W LED)	5.4	White	1.3/41	(1)-AA	
TT7461RGCP*	Silver V2 Power Chip Flashlight w/rubber grip (With High Intensity 1.25W LED)	5.4	White	1.3/41	(1)-AA	
TT7484CP	3 LED Neon Yellow Micro Triplex Dive Torch (Waterproof – 197′/60M)	4.9	White	.7/14	(4)-AAA	7
TT7486CP	Neon Yellow Micro Power Chip Dive Torch (With High Intensity 1.25W LED/Waterproof – 197′/60M)	4.9	White	1.5/32	(4)-AAA	(a)+
LL7456	Neon Yellow Power Chip Dive Torch (With High Intensity 1.25W LED/Waterproof – 197′/60M)	6.2	White	1.5/45	(4)-AA	

*Sheath Included





Professional Use Lights

Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
LL7457	All Plastic Black Power Chip Dive Torch (With High Intensity 1.25W LED/Waterproof – 197′/60M)	6.2	White	1.5/45	(4)-AA	
LLP7484	All Plastic 3 LED Black Micro Triplex Industrial Torch (Waterproof – 197′/60M)	4.9	White	.7/14	(4)-AAA	
LLP7486	All Plastic Black Micro Power Chip Industrial Torch (With High Intensity 1.25W LED/Waterproof – 197′/60M)	4.9	White	1.5/32	(4)-AAA	
LLP7456	All Plastic Black Power Chip Industrial Torch (With High Intensity 1.25W LED/Waterproof – 197′/60M)	6.2	White	1.5/45	(4)-AA	
TT7300CP	Laser Pointer	2.3	Red	.029/?	(3)-AG5	
LL7302	Pen & Laser Pointer	5	Red	.75/?	(3)-AG13	
LL7732DL*	6 LED Black V2 Dual Light & Laser Pointer	3.9	5 White/ 1 Red	2.9/22.4	(3)-AAA	
TT7732DUVCP*	6 LED Black V2 Dual Color Ultra-Violet Light	3.7	5 White/ 1 UV	varies w/ color	(3)-AAA	
LL7505	V9 Ultra-Violet Pocket Light	2	Ultra- Violet	.39/.086	(4)-AG5	
TT7551CP	V8 Ultra-Violet Pocket Light	2.5	Ultra- Violet	.2/0.9	(3)-AG13	

*Sheath Included

Batteries included with all flashlights.

TT = Clam Shell LL = Gift Box All lights have silver housing other than where noted. All lights have 1 LED o

All lights have 1 LED other than where noted.

Tactical Use Lights



Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
TT7847CP*	Black Digitac II Flashlight (With High Intensity 1.25W LED)	4	White	1.3/39	(1)-AA	
TT7848CP*	Silver Digitac II Flashlight (With High Intensity 1.25W LED)	4	White	1.3/39	(1)-AA	. š
TT7448CP	Black Power Chip Flashlight (With High Intensity 1.25W LED)	7	White	1.3/38	(2)-C	
LL7449	Silver Power Chip Flashlight (With High Intensity 1.25W LED)	7	White	1.3/38	(2)-C	
TT7736DCP*	6 LED Black V2 Dual Color Tactical Torch	3.7	5 White / 1 Red	1.8/49.2	(3)-AAA	
TT7736TSCP	Black Convertible Tactical Weapon Mount Light (With High Intensity 1.25W LED)	5	White	3.4/83	(3)-AAA	
TT77364TICP*	6 LED Black 4 Color Recon Torch	3.7	3 White/ 1Blue/ 1Red/ 1Green	varies w/ color	(3)-AAA	-10
TT7745CP*	Silver 3 LED V2 Tactical Triplex Torch	4.5	White	.94/13	(3)-AAA	(
TT7737CP*	Silver V2 Tactical Power Chip Torch	4.5	White	3.44/65	(3)-AAA	:1
TT7736CP*	Black V2 Tactical Power Torch	4.5	White	3.44/65	(3)-AAA	
LL7731*	Black V2 Tactical Power Torch	4.5	Red	1.09/41.3	(3)-AAA	
TT7438CP	Black Tactical Focus Beam Flashlight (Twist For Narrow or Broader Beam)	5	White	3.4/83	(3)-AAA	
TT7839CP	Nano Tactical Torch	2.5	White	.29/2.7	(4)-AG5	
TT7765CP	Turbo Tactical Torch	3.9	White	.22/3.5	(1)-AA	
TT7766CP	Micro Tactical Torch	3.6	White	.21/3.2	(1)-AAA	
TT7830CP	Black Mini Tactical Torch	2.9	White	.77/5.5	(4)-AG13	
TT7831CP	Silver Mini Tactical Torch	2.9	White	.77/5.5	(4)-AG13	Designment of the second se
TT7832CP	Blue Mini Tactical Torch	2.9	White	.77/5.5	(4)-AG13	
TT7833CP	Red Mini Tactical Torch	2.9	White	.77/5.5	(4)-AG13	a posta posta p

*Sheath Included

Batteries included with all flashlights.

TT = Clam Shell LL = Gift Box All lights have silver housing other than where noted.

All lights have 1 LED other than where noted.





Camping/Emergency Use Lights

Part Number	Description	Length (inches)	Beam Color	Watts/ Lumens	Battery	
TT7597CP	Flash Fire Camp Light	2.6 body w/4.5 refractor rod	White	.11/ varies w/ color	(4)-AG5	and the
TT7533/2CP	Large Camp Light	5.5 body w/5.5 refractor rod	White	1.9/10.7	(2)-AA	
LL7533/4	Camp Light Kit – Includes: • Table Shade • Table Base • Light Globe • Lanyard • Nylon Carry Bag	5.5 body w/5.5 refractor rod	White	1.9/10.7	(2)-AA	1 ju
TT7100FC	Personal LED Lantern With Dimmer Switch And Battery Level Indicator (Weatherproof/Shatterproof Construction)	6	White	3.5/45	(4)-AA	
TT7105CP	Large LED Lantern With Dimmer Switch And Battery Level Indicator (Weatherproof/Shatterproof Construction)	10.5	White	3.6/90	(4)-D	

Batteries included with all flashlights.

TT = Clam Shell LL = Gift Box All Lights Have 1 LED

Headlamps



Part Number	Description	Beam Color	Watts/ Lumens	Battery	
TT7468CP	Revolution Headlamp 1.25W With Dimmer Switch And Hinged Attachment To Position Beam	White	2.5/55	(3)-AAA	
TT1065CP	6 LED Revolution Dual Color Headlamp With Dimmer Switch And Hinged Attachment To Position Beam	5 White / 1 Red	1.66/42.5	(3)-AAA	
TT1041CP	3 LED Revolution Triplex Headlamp With Dimmer Switch And Hinged Attachment To Position Beam	White	.92/30	(3)-AAA	
TT7866CP	Revolution Power Moon Headlamp With Hinged Attachment To Position Beam	White	.33/9	(3)-AAA	
LLP7468	Industrial Power Chip Headlamp With Adjustable Rubber Straps For Helmet Use; Dimmer Switch And Hinged Attachment To Position Beam	White	2.5/55	(3)-AAA	
LLP1041	3 LED Industrial Triplex Headlamp With Adjustable Rubber Straps For Helmet Use And Hinged Attachment To Position Beam	White	.92/30	(3)-AAA	
LLP7300	Power Moon Headlamp With Adjustable Rubber Straps For Helmet Use And Hinged Attachment To Position Beam	White	.029/N/A	(2)-AA	
TT7451CP	3 LED Micro Headlamp With Hinged Attachment To Position Beam	1 White / 2 Blue	.18/3.7	(1)-AAA	
TT7454CP	3 LED Triplex Headlamp With Hinged Attachment To Position Beam	White	1.06/13.6	(3)-AAA	
TT7455CP	1.25W Power Chip Headlamp With Hinged Attachment To Position Beam	White	2.37/50	(3)-AAA	

Batteries included with all flashlights.

TT = Clam Shell LL = Gift Box



Specifications

Туре	Input	Supply	Power Consumption	Service Life	Interface	Storage Temp.	Operation Temp.
MR16	6-24 V	AC/DC	1.8 W	50,000 HRS	GU5.3	-25° — 95°	-25° — 90°



- Replaces MR16 halogen bulbs up to 20 Watts
- Ideal replacements for indirect track lighting to landscape accent lighting
- No filament to break or wear out

Part Number	Beam	Lumina	nce dist	ance at:	Bean	n Diamet	ter at:	ССТ	Luminous	Luminous
	Angle	1M	2M	3M	1M	2M	3M	Correct Color Temp	Flux (Lm)	Efficacy (Lm/w)
LL8000: Spot – Red	10°	313	73	33	40	60	90		31.2	17.8
LL8002: Spot – Blue	10°	620	148	64	35	55	80		4.3	2.0
LL8003: Spot – White	10°	975	220	27	40	60	85	6000K	32.6	18.1
LL8004: Spot – Green	10°	694	170	72	35	55	80		36.3	18.5
LL8014: Flood – White	22°	370	90	41	45	65	105	6000K	29.6	16.4
LL8015: Flood – Warm	22°	175	40	18.7	45	65	105	2700K	17	9.4



- Replaces MR16 halogen bulbs up to 35 Watts
- Ideal replacements for indirect track lighting to landscape accent lighting
- No filament to break or wear out

Part Number	Beam	Lumina	nce dista	ance at:	Bean	eam Diameter at:		ССТ	Luminous	Luminous	
	Angle	1M	2M	3M	1M	2M	3M	Correct Color Temp	Flux (Lm)	Efficacy (Lm/w)	
LL3018: Spot – White	60°	110	28	12	110	203	300	6000K	68	27.0	
LL3019: Flood – Warm	60°	90	21	10	110	230	240	2700K	55	22.0	

Accessories



Part Number	Description	Length (inches)	
TT2013CP	Rigid Sheath w/ Foldover Closure	4.7	
TT2009CP	Rigid Sheath w/ Open Top	5	
TT2023CP	Nylon Sheath w/ Foldover Closure	3.5	
TT2019CP	Padded Sheath w/ Partial Closure	4.5	8
TT5451CP	Heavy Duty Nylon Sheath w/ Foldover Closure	6.3	
TT2018CP	Padded Sheath w/ Foldover Closure	3	
TT2005CP	Velour Sheath w/ Drawstring Closure	4	
TT2006CP	Velour Sheath w/ Drawstring Closure	3.5	
TT2017CP	Large Flashlight Sheath w/ Zippered Closure	11	
TT2025CP	Large Flashlight Sheath w/ Zippered Closure	10.5	
TT2016CP	Deep Nylon Sheath w/ Foldover Closure & Mini Carabiner	7.8	
TT2001CP	Deep Nylon Sheath w/ Foldover Closure	6	
TT2022CP	Deep Nylon Sheath w/ Foldover Closure & Mini Carabiner	5	~
TT2024CP	Deep Nylon Sheath w/ Foldover Closure & Mini Carabiner	5.5	
TT2003CP	Deep Nylon Sheath w/ Foldover Closure	5	
TT2002CP	Deep Nylon Sheath w/ Foldover Closure & Mini Carabiner	4.5	
TT2014CP	Deep Nylon Sheath w/ Foldover Closure & Mini Carabiner	3.5	
TT2012CP	Flat Nylon Sheath w/ Foldover Closure & Mini Carabiner	7.3	
TT2008CP	Flat Nylon Sheath w/ Foldover Closure	6.8	-
TT2021CP	Flat Nylon Sheath w/ Foldover Closure & Mini Carabiner	6.5	
TT2010CP	Flat Nylon Sheath w/ Foldover Closure	6	
TT2020CP	Flat Nylon Sheath w/ Foldover Closure & Mini Carabiner	5.5	
TT2015CP	Flat Nylon Sheath w/ Foldover Closure & Mini Carabiner	5	
TT2004CP	Flat Nylon Sheath w/ Foldover Closure	5	



TT = Clam Shell LL = Gift Box All sheaths come packaged in polybags with hang tags.

For more information please visit www.nteinc.com/coast

Accessories

Part Number	Description	Length (inches)	
TT2007CP	Partitioned Nylon Sheath w/ Foldover Closure	6.3	
TT2011CP	Partitioned Nylon Sheath w/ Foldover Closure & Mini Carabiner		
ТТ2027СР	Smooth Leather Sheath w/ Snap Closure	6	Real P
ТТ2026СР	Basketweave Leather Sheath w/ Snap Closure	6	and the
LL3000	Flare Cone (for model 7506)	3.9	
LL3001	Flare Cone (for models 7484 & 7486)	5	
LL3002	Flare Cone (for models 7456 & 7457)	8	
LL5357	Flare Cone (for models P7484 & P7486)	5	
LL5358	Flare Cone (for model P7457)	8	
LL7875	Flexible Magnetic Stand (for use with models 7732DL, 7732DUV, 7737, 7784)	6.25	
LL75337	Alligator Clip (for model 75331)	2	
LL7733TS	Pressure Switch (for model 7736TS)	11 w/cord	
LL7861	DC Car Charger (for model 7862)	2 w/ 5 cord	
LL7859	DC Car Charger (for models 7853 & 7854)	2 w/ 5 cord	10-0
TT7581BACP	Pen Refill (Black Ink) (for model 7302)	2.75	
TT7581BUCP	Pen Refill (Blue Ink) (for model 7302)	2.75	

Part Number	Battery Type	# Per Package	
TT7705CP	BR435	1	
TT7710CP	CR1620	2	
TT7703CP	CR2032	2	
TT7713CP	AG3	4	
TT7714CP	AG5	2	
TT7701CP	AG13 (LR44,357)	2	
TT7700CP	AG13 (LR44,357)	3	
TT7722CP	AAAA	4	
TT7715CP	LR1	3	
TT7707CP	C NI-MH	6	

Distributed	By:			

NTE Electronics, Inc. 44 Farrand Street, Bloomfield, NJ 07003-2597 973-748-5089 • Fax: 973-748-6224 © Copyright December 2007



TT = Clam Shell LL = Gift Box All sheaths come packaged in polybags with hang tags.

