

## Cable gland - G-INB-M12-S68N-PEPDS-BK - 1415177

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Application: Standard, External cable diameter 3 mm ... 7 mm, Shielding: No, Connecting thread: M12, Color: jet black, with bend protection sleeve

The figure shows version G-INB-M25-M68N-PEPDS-BK

### Why buy this product

- Glow-wire test: 750°C
- Weatherproof sealing material
- Halogen-free

### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	
GTIN	4055626038087
Weight per Piece (excluding packing)	9.780 g
Custom tariff number	39269097
Country of origin	Germany

### Technical data

#### Dimensions

Length	72 mm
Wrench size, union nut	16 mm
Wrench size, support	16 mm
Hexagon angular dimension	18 mm

# Cable gland - G-INB-M12-S68N-PEPDS-BK - 1415177

## Technical data

### Dimensions

Length of the connecting thread	9 mm
Feed-through hole diameter	12.1 mm ... 12.2 mm
External cable diameter	3 mm ... 7 mm
	4.1 mm ... 6 mm (for UL 514 B)

### Ambient conditions


Degree of protection	IP68 (5 bar / 0.5 h)
	IP69 (DIN EN 60529 / IEC 60529)
Ambient temperature (operation)	-40 °C ... 100 °C (static)

### General

No. of conductors	1
Shielded	No
Thread type on connection side	M12
Thread pitch	1.5 mm
Torque	2 Nm (Union nut)
	2 Nm (Support)
Color	jet black
Impact category	2
Execution of the strain relief	A
Manufacturer	WISKA
Manufacturer Designation	ESKVS 12

## Drawings

Dimensional drawing



## Approvals

### Approvals

## Cable gland - G-INB-M12-S68N-PEPDS-BK - 1415177

### Approvals

#### Approvals





UL Recognized / cUL Recognized / GOST-R / cULus Recognized

---

#### Ex Approvals

---

#### Approval details

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	E179850
cUL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	E179850
GOST-R			POCC DE.A*98.H12052
cULus Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	

---