





























































PLATO

Plato® Tips to fit Hakko® 702, 703, 703B, 926, 927, 928, 933, 936, 937 Soldering Stations with Handpiece M926, 900M or 907 ESD, and O.K. Industries® SA1000 Station with SAI-640 Handpiece

Hakko®	Plato®	PLATO TIP & ORDER NUMBER		
900M-T-1C	HS-5701	 HS-5701		
900M-T-1.5CF	HS-5861	 HS-5861 Tin on flat only		
900M-T-2C	HS-5702	 HS-5702		
900M-T-3C	HS-5703	 HS-5703		
900M-T-4C	HS-5875	 HS-5875		
900M-T-0.2RB	HS-4791	 HS-4791		
900M-T-0.5C	HS-5715	 HS-5715		
900M-T-0.8C	HS-5716	 HS-5716		
900M-T-0.8D	HS-2863	 HS-2863		
900M-T-1.2D 900M-T-S1	HS-2796	 HS-2796		

900M-T-1.6D	HS-2751			
900M-T-1.8H	HS-0926			
900M-T-2.4D	HS-2752			
900M-T-3.2D	HS-2753			
900M-T-1.2LD	HS-6030			
900M-T-2LD	HS-6092			
900M-T-3.2LD	HS-6093			
900M-T-B	HS-4785			
---	HS-8179			<p>Same as HS-4785 except with .300" tin length</p>
900M-T-H	HS-0925			
900M-T-I	HS-4787			
900M-T-K	HS-0927			<p>SMD Blade Tip to solder SOIC & PLCC</p>
900M-T-LB	HS-4786			

900M-T-R	HS-0923		$1/8"$ (3.2)		SMD Chip Tip	
900M-T-RT	HS-0924		$5/64"$ (2.0)		SMD Chip Tip	
900M-T-SB	HS-4792		$.016"$ (0.4)			
900M-T-SMD	HS-4988		$.008"$ (0.2)			
900M-T-S3	HS-1665		$13/64"$ (5.2)		 $.040"$ (1.0)	
900M-T-S4	HS-8175		$.008"$ (0.2)			
900M-T-S5	HS-8157		$1/64"$ (0.4)			
900M-T-S6	HS-5827		$.050"$ (1.3)			
900M-T-S7	HS-5826		$.046"$ (1.2)			
---	HS-0530		$.128"$ (3.3)	$.118"$ (3.0)		Plato® SMD Flow Tip
---	HS-0531		$.195"$ (5.0)	$.135"$ (3.4)		Plato® SMD Flow Tip
						Typical Tip Drawing

***Tip Drawings Are Not Actual Size**

All points are 1/32" (0.8) thick unless otherwise noted. () = mm

Tip samples are available,