

Part Number: J2000-BWSSFID

Description: BradyJet J2000 Color Label Printer with Brady Workstation Safety and Facility ID Software Suite



Overview

Harness the power of color. Pair the BradyJet J2000 with Brady Workstation Safety and Facility Identification Software and let color drive a safer and more efficient workplace for you.

- On-demand, mid-volume inkjet solution creates photo-quality color labels in a single pass
- Brady Workstation Safety and Facility Identification Software provides the custom labels your facility needs
- More color options than you'd ever need—16 million—for the most impactful identification
- Compact design means performance printing in the tightest spaces
- Custom identification without the high cost of outsourced printing

Product Highlights:

- Maximum Label/Tape Width:
- 4 in
- Printer and Label Applications:
- General Identification, Hazardous Materials, Lean / 5S, Pipe Marker, Safety
- Color Printing Capability:
- Full Color
- Print Technology:
- Ink Jet
- Maximum Labels per Day:
- 3000

Specifications

Yes
Barcode Capable
No
Full Color
Yes
7.1 in H x 10.4 in W x 15.3 in D
Each
Change labels in less than 20 sec. Change ink cartridge in less than 10 sec. s

Marinum Drinted Label Longth	h1:-
Maximum Printed Label Length	24 in
Maximum Label/Tape Width	4 in
Maximum Liner Width	4.25 in
Maximum Print Speed	4 in/s
Maximum Print Width	4 in
Minimum Label Length	24 in
Minimum Liner Width	4.25 in
Special Characters Quantity	See Brady® Workstation
Power Supply Voltage	100 to 240 V @ 50 to 60 Hz
Print Resolution	up to 4800 DPI dpi
Product Number	150158
UPC	754473614041
Trade Name	BradyJet™
Warranty	1 Year
Weight	7 lb
	General & Industrial ID, GHS & Chemical Labels, Laboratory
Applications	ID, Laboratory/Healthcare Identification, Lean/5S, Pipe &
	Valve Marking, Visual Workplace Labeling, Warehouse Marking
Barcode Symbologies - Linear	More Through Brady Workstation
Barcode Symbologies - 2D	More Through Brady Workstation
Label Material Types	B-2551, B-2569, B-2595, B-7425J
Connectivity Options	USB
Continuous & Die-Cut Materials Supported	Continuous Tapes & Die-Cut Labels
Cutter Type	Auto Cutter
Display Type	None

	Printer, ink cartridge, material roll for printhead alignment only,
Includes	USB with drivers and manuals, power cord, USB cable, Quick
	Start Guide, BWS SFID Suite Software
Keyboard Type	None
Maximum Labels per Day	3000
Media Sensor Type	Black Mark, Gap Sensor, See-Through
Mode of Operation	PC Connect
Plug Type	US
Printer and Label Applications	General Identification, Hazardous Materials, Lean / 5S, Pipe
	Marker, Safety
Print Technology	Ink Jet
User Interface Type	PC