

[Relays, Contactors & Switches](#) > [Relays](#) > [Mil-Aero Relays](#) > [TO-5/.100 Grid](#)

JMGSC-26L=M39016/41-036L



CII
 TE Part # **9-1617542-6**
 TE Internal #: **9-1617542-6**
 Mil-Spec: **M39016/41-036L**
 Alias #: **JMGSC-26L**

Contact Arrangement : **2 Form C, DPDT, 2 C/O**

Input Voltage (VDC): **14**
 Coil Suppression Diode : **Without**
 MOSFET Driver : **Without**
 Transistor Driver : **Without**

[Similar Products](#)

[Compatible Parts & Tooling](#)

SHOP OUR DISTRIBUTORS

North America [See all price breaks](#)

Distributor	1	10,000	Buy
ONLINE COMPONENTS	\$108.950	\$79.880	SHOP NOW
2 in stock			

We are here to help!
 Get in touch with our product experts.

[CHAT WITH US](#)

[EMAIL US](#)

[CALL US](#)

[DOCUMENTS](#) [FEATURES](#) [PRODUCT COMPLIANCE](#)

Datasheets & Catalog Pages [ENG_CS_5-1773450-5_sec1_MGS_0313_5-1773450-5_Sec1_MGS_MGSD_MGSDD.pdf](#) English

Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features

- MOSFET Driver : **Without**
- Product Type : **Relay**
- Coil Latching : **Without**
- Relay Type : **Military/Aerospace High Performance**
- Enclosure Type : **Hermetically Sealed**

Configuration Features

- Transistor Driver : **Without**

Electrical Characteristics

- Coil Power Measurement : **Milliwatts**
- Input Voltage (VDC): **14**
- Coil Suppression Diode : **Without**

Feedback



Coil Voltage (VDC): **26.5**

Coil Resistance (Ω): **3200**

Coil Power Rating (DC) (mW):
219

Coil Polarity Protection Diode :
Without

Contact Switching Voltage (Max) :
28

Shock : **75G's, 6ms**

Actuating System : **DC**

Vibration : **30G's, 10 – 3000Hz**

Coil Magnetic System : **Non-Polarized,
Monostable**

Contact Features

Contact Arrangement : **2 Form C, DPDT, 2 C/O**

Contact Current Rating (A):
1

Contact Current Class : **Low Level – 1 A**

Termination Features

Termination Type : **PC Pins**

Mechanical Attachment

Mounting Type : **Printed Circuit Board**

Usage Conditions

Operating Temperature Range (°C):
-65 – 125

Statement of Compliance

[Statement of Compliance pdf](#)

Need help? ×

Our team is on stand-by and ready to help with your order.

[CHAT NOW](#)



ABOUT TE CONNECTIVITY

[Our Company](#)

[Events](#)

[TE News Center](#)

[Careers](#)

[Investors](#)

[Corporate Responsibility](#)

[Terms and Conditions of Sale](#)

FOR PARTNERS

[Distributors](#)

[Suppliers](#)

SUPPORT

[Customer Service](#)

[Find Authorized Distributors](#)

[Shop Online in the TE Store](#)

[Product FAQs](#)

CALL US

LOCATIONS

SELECT A LANGUAGE

[United States](#)

[Germany \(DE\)](#)

[China \(中文\)](#)

[Japan \(日本語\)](#)

[Afghanistan \(EN\)](#)

[Find Your Country/Region](#)

