


DASH NO. M CODE MADE FROM

KC-89-110

GSD

REVISIONS

ISSUE	CHANGES
5	CN 16496C JHP 19 OCT 76



NOTES:

1. MATERIALS:
 SPLIT WASHER - BRASS, QQ-B-613.
 SPRING WASHER - BER. COP., QQ-C-530.
 ALL OTHER METAL PARTS - BRASS, QQ-B-626.
 INSULATOR - TEFLON, L-P-403.
 GASKET - SILICONE RUBBER, ZZ-R-765.
2. FINISHES:
 CENTER CONTACT - SILVER PLATE, QQ-S-365.
 ALL OTHER METAL PARTS - KINGS TARNISH
 RESISTANT FINISH (TR-5).

3. ELECTRICAL CHARACTERISTICS:
 RESISTANCE - 75Ω, .5%, 1/2 WATT
 VSWR - 1.1 MAX. DC TO 500 MHz.

SCALE: 4:1

APPROX. SURFACE AREA:

USED ON:

REF:

BNC TERMINATION
 75Ω, 1/2%, 1/2 W

DRAWN GJG DATE 17 FEB 83

APPR. MJB DATE 6 MAR 83

KINGS
 ELECTRONICS CO., INC.
 LUDWIG, NEW YORK 10120

UNLESS OTHERWISE SPECIFIED:

1. TOLERANCES: FRACTIONS & 2 PLACE DECIMALS ± .010	2. REMOVE ALL BURRS, BREAK SHARP EDGES .005 MAX.
3 PLACE DECIMALS ± .004	3. NO FILLETS PERMITTED.
ANGLES ± 0°30'	4. SURFACE ROUGHNESS 63 MICROINCHES RMS MAX.
T. I. R. CONCENTRICITY OF ANY 2 DIAMETERS MAY	5. ALL DIMENSIONS PRIOR TO PLATING.
NOT EXCEED HALF THE SUM OF THEIR TOLERANCES.	6. ALL PLATING IN ACCORDANCE WITH KER 10004.

GSD

KC-89-110