


LASER PRINTABLE LABELS

Laser Labels Printable Materials Chart 98
 Circuit Board and Component
 Identification 99 – 101
 Wire and Cable Marking 102

Data Communications
 Equipment and Cabling Labels 103 – 104
 General Identification Labels 105 – 106

Laser Printable Material Chart




The high resolution of laser printing makes it possible to generate readable, dense bar codes on labels small enough to fit into limited application space. (B-747 pictured)

Type	Max. Service Temp. °C	Colour	Finish	Use	Special Properties
Nylon Cloth					
B-799	90	White	Matt	Aerospace and military cable marking	Repositionable
Paper					
B-124	66	White/Colours	Matt	110 terminal block marking for telecommunications	Available in green, purple, yellow, blue, red, brown, white, orange and grey
B-759	90	White/Colours	Matt	Bar code and general labelling applications	Excellent toner adhesion
Polyolefin Film					
B-409	90	White	Matt	Bar code labels and general identification	Abrasion resistant
B-410	100	White	Matt	Tamper-evident label	Label destroys upon removal
Polyester					
B-361	110	Clear/White	Matt	Wire and cable marking, self-laminating	Low halogen and sulphur content
B-707	130	White	Matt	Electronic component labelling; general identification	Rough surface application; Stronger bond to low surface energy plastics 
B-709	70	White	Matt	Electronic component, bar code labels and general temporary identification	Removable
B-712	105	Clear	Matt	Electronic component labelling; general identification	Rough surface application; Stronger bond to low surface energy plastics
B-722	105	Clear	Matt	Rating plates, name plates, general-purpose printable overlamine	Translucent
B-747	130	White/Yellow	Matt	Electronic PCB component, bar code labels and equipment labelling	Excellent solvent and smudge resistance; high-resolution printing; available in white only HF 
B-773	120	Silver	Matt	Rating plates and electronic component marking	Adheres to a variety of surfaces; metallized HF 
Polyimide					
B-652	300 *	Amber	Matt	Bottom PC board and SMT component marking	Withstands extremely high temperatures
Tedlar®					
B-737	130	White	Matt	Aerospace and military cable marking	Repositionable
Polypropylene					
B-425	90	White	Matt	Rating plates and general-purpose labelling	Excellent abrasion and smudge resistance

Tedlar® is a registered trademark of DuPont.
* 5 minutes

 *These materials are UL recognized.

 *These materials are CSA approved.

HF Halogen free DIN VDE 0472 Part 815



*Refer to the full page charts on pages 280-281 for more information and complete listing of parts.

Circuit Board and Component Identification



Brady label materials are specially engineered to resist the harsh environments associated with the processing of printed circuit boards.


Laser Printable Products Circuit Board Process Chart

	 Through Hole Technology Top Bottom		 Surface Mount Technology (SMT) Top or Bottom	After Process
B-652	● Yes	● Yes	● Yes	● Yes
B-409, B-709, B-747, B-773, B-799	▲ Yes*	✗ No	✗ No	● Yes

* In extreme high temperatures, testing of these materials is recommended.

Polyimides

B-652 High Temperature Amber Polyimide



Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat C (mm)	Top Margin D (mm)	Left Margin E (mm)	Labels Per Sheet
LAT-1-652-10	10 000	Polyimide	22	7.62	6.35	17.78	22.23	11.43	836
LAT-2-652-10	10 000	Polyimide	16	9.53	9.53	12.70	22.23	7.95	400
LAT-3-652-10	10 000	Polyimide	10	16.51	6.35	20.32	22.23	8.26	380
LAT-4-652-10	10 000	Polyimide	8	20.32	6.35	25.40	22.23	8.89	304
LAT-5-652-10	10 000	Polyimide	8	20.32	12.70	25.40	22.23	8.89	152
LAT-6-652-10	10 000	Polyimide	7	25.40	6.35	27.94	22.23	11.43	266
LAT-7-652-10	10 000	Polyimide	7	25.40	12.70	27.94	22.23	11.43	133
LAT-8-652-10	10 000	Polyimide	7	25.40	9.53	27.94	22.23	11.43	175
LAT-9-652-10	10 000	Polyimide	5	38.10	6.35	40.64	22.23	7.62	190
LAT-10-652-10	10 000	Polyimide	4	47.63	6.35	50.80	22.23	7.98	156
LAT-12-652-2.5	2 500	Polyimide	2	76.20	9.53	81.28	22.23	29.21	50
LAT-25-652-10	10 000	Polyimide	13	12.70	11.10	15.24	22.23	10.16	286
LAT-26-652-10	10 000	Polyimide	26	6.35	6.35	15.24	22.23	10.16	936
LAT-29-652-10	10 000	Polyimide	10	16.51	5.08	20.32	22.23	8.26	480

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)

ELAT = Sheet Size: 210 mm x 297 mm (A4)


Circuit Board and Component Identification



Brady laser printable polyester labels are ideal for small volume production runs.

Polyester

B-709 Removable White Polyester
B-747 Permanent White or Yellow Polyester



Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat C (mm)	Top Margin D (mm)	Left Margin E (mm)	Labels Per Sheet
LAT-1-747-10	10 000	Polyester	22	7.62	6.35	17.78	22.23	11.43	836
LAT-2-747-10	10 000	Polyester	16	9.53	9.53	12.70	22.23	7.95	400
ELAT-3-747W-10	10 000	Polyester	9	16.00	6.00	21.00	14.50	13.00	450
LAT-3-747-10	10 000	Polyester	10	16.51	6.35	20.32	22.23	8.26	380
ELAT-4-747W-10	10 000	Polyester	7	20.00	6.00	25.00	14.50	20.00	315
ELAT-4-747YL-10	10 000	Polyester	7	20.00	6.00	25.00	14.50	20.00	315
LAT-4-747-10	10 000	Polyester	8	20.32	6.35	25.40	22.23	8.89	304
LAT-4-747-10-YL	10 000	Polyester	8	20.32	6.35	25.40	22.23	8.89	304
LAT-5-747-10	10 000	Polyester	8	20.32	12.70	25.40	22.23	8.89	152
LAT-5-747-10-YL	10 000	Polyester	8	20.32	12.70	25.40	22.23	8.89	152
LAT-6-747-10	10 000	Polyester	7	25.40	6.35	27.94	22.23	11.43	266
LAT-7-709-10	10 000	Removable Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-7-747W	10 000	Polyester	7	25.00	13.00	27.50	14.30	10.00	140
LAT-7-747-10	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
LAT-7-747-10-YL	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-8-747W	10 000	Polyester	7	25.00	9.00	27.50	14.30	10.00	203
LAT-8-747-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-8-747-10-YL	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
ELAT-9-747W	10 000	Polyester	5	38.00	6.00	43.00	14.50	21.50	180
LAT-9-709-10	10 000	Removable Polyester	5	38.10	6.35	40.64	22.23	7.62	190
LAT-9-747-10	10 000	Polyester	5	38.10	6.35	40.64	22.23	7.62	190
LAT-9-747-10-YL	10 000	Polyester	5	38.10	6.35	40.64	22.23	7.62	190
LAT-10-747-10	10 000	Polyester	4	6.35	47.63	50.80	22.23	7.98	156
ELAT-11-747	5 000	Polyester	4	47.00	9.00	49.00	14.50	8.00	116
LAT-11-747-5	5 000	Polyester	4	47.63	9.53	50.80	22.23	7.87	100
LAT-11-747-5-YL	5 000	Polyester	4	47.63	9.53	50.80	22.23	7.87	100
LAT-12-747-2.5	2 500	Polyester	2	76.20	9.53	81.28	22.23	29.21	50
LAT-25-709-10	10 000	Removable Polyester	13	12.70	11.10	15.24	22.23	10.16	286
LAT-25-747-10	10 000	Polyester	13	12.70	11.10	15.24	22.23	10.16	286
LAT-26-747-10	10 000	Polyester	26	6.35	6.35	15.24	22.23	10.16	936
LAT-29-747-10	10 000	Polyester	10	16.51	5.08	20.32	22.23	8.26	480
LAT-29-747-2.5	2 500	Polyester	10	16.51	5.08	20.32	22.23	8.26	480
LAT-29-747-10-YL	10 000	Polyester	10	16.51	5.08	20.32	22.23	8.26	480
ELAT-31-747W-10	10 000	Polyester	7	20.00	8.00	25.00	20.00	20.00	224
ELAT-31-747YL-10	10 000	Polyester	7	20.00	8.00	25.00	20.00	20.00	224
ELAT-32-747W-10	10 000	Polyester	10	15.00	9.00	19.00	20.00	12.00	290
ELAT-32-747Y-10	10 000	Polyester	10	15.00	9.00	19.00	20.00	12.00	290
ELAT-39-747W-10	10 000	Polyester	9	18.00	6.00	21.00	14.50	12.00	396
ELAT-40-747W-10	10 000	Polyester	9	18.00	8.00	21.00	20.00	12.00	288
ELAT-40-747YL-10	10 000	Polyester	9	18.00	8.00	21.00	20.00	12.00	288
ELAT-41-747W-10	10 000	Polyester	13	12.00	12.00	15.00	20.00	9.00	273

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)
 ELAT = Sheet Size: 210 mm x 297 mm (A4)


Circuit Board and Component Identification



Tamper-evident polyolefin (B-410) irreversibly stretches and fractures upon removal.

Metallised Polyester

B-773 Metallised Polyester



Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat C (mm)	Top Margin D (mm)	Left Margin E (mm)	Labels Per Sheet
ELAT-7-773	10 000	Metallised Polyester	7	25.00	13.00	27.50	14.30	10.00	140
LAT-7-773-10	10 000	Metallised Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-36-773-10	10 000	Metallised Polyester	6	27.00	8.00	31.00	20.00	14.00	192

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)

ELAT = Sheet Size: 210 mm x 297 mm (A4)

Miscellaneous Materials

B-409 Abrasion-Resistant White Polyolefin

B-410 Tamper-Evident White Polyolefin

B-737 Flame-Retardant White or Yellow Tedlar® Film

B-799 White Nylon Cloth

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat C (mm)	Top Margin D (mm)	Left Margin E (mm)	Labels Per Sheet
LAT-3-410-10	10 000	Polyolefin	10	16.51	6.35	20.32	22.23	8.26	380
LAT-4-410-10	10 000	Polyolefin	8	20.32	6.35	25.40	22.23	8.89	301
LAT-4-737-10	10 000	Tedlar	8	20.32	6.35	25.40	22.23	8.89	304
LAT-7-410-10	10 000	Polyolefin	7	25.40	12.70	27.94	22.23	11.43	133
LAT-7-799-10	10 000	Nylon Cloth	7	25.40	12.70	27.94	22.23	11.43	133
LAT-8-409-10	10 000	Polyolefin	7	25.40	9.53	27.94	22.23	11.43	175
LAT-8-799-10	10 000	Nylon Cloth	7	25.40	9.53	27.94	22.23	11.43	175
LAT-9-409-10	10 000	Polyolefin	5	38.10	6.35	40.64	22.23	7.62	190
LAT-9-799-10	10 000	Nylon Cloth	5	38.10	6.35	40.64	22.23	7.62	190
LAT-11-409-5	5 000	Polyolefin	4	47.63	9.53	50.80	22.23	7.87	100
LAT-29-737-10	10 000	Tedlar	10	16.51	5.08	20.32	22.23	8.38	480
LAT-29-799-10	10 000	Nylon Cloth	10	16.51	5.08	20.32	22.23	8.38	480

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)


ELAT = Sheet Size: 210 mm x 297 mm (A4)

Tedlar® is a registered trademark of Dupont

Wire and Cable Marking



LaserTab® markers adhere to ribbon cables without peeling when cables are flexed. Images remain clean and crisp, even after repeated handling.




B-361 Self-laminating Polyester B-737 Flame-Retardant White or Yellow Tedlar® Film B-799 Nylon Cloth

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Write-on Height C (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet	Max. Wire Diameter (mm)
LAT-7-737-10	10 000	Tedlar	7	25.40	12.70	12.70	27.94	22.23	11.43	133	4.00
LAT-7-737-10-YL	10 000	Tedlar	7	25.40	12.70	12.70	27.94	22.23	11.43	133	4.00
LAT-15-361-1	1 000	Self-laminating Polyester	13	12.70	19.05	9.40	15.24	22.23	10.16	156	3.00
LAT-15-361-5	5 000	Self-laminating Polyester	13	12.70	19.05	9.40	15.24	22.23	10.16	156	3.00
LAT-16-361-5	5 000	Self-laminating Polyester	7	25.40	19.05	8.64	27.94	22.23	11.43	84	3.00
LAT-17-361-1	1 000	Self-laminating Polyester	7	25.40	25.40	8.64	27.94	22.23	11.43	63	5.00
LAT-17-361-2.5	2 500	Self-laminating Polyester	7	25.40	25.40	8.64	27.94	22.23	11.43	63	5.00
LAT-18-361-1	1 000	Self-laminating Polyester	7	25.40	33.78	12.70	27.94	21.18	11.43	49	6.50
LAT-18-361-2.5	2 500	Self-laminating Polyester	7	25.40	33.78	12.70	27.94	21.18	11.43	49	6.50
LAT-19-361-1	1 000	Self-laminating Polyester	7	25.40	80.44	24.64	27.94	21.18	11.43	21	17.50
LAT-22-361-5	5 000	Self-laminating Polyester	13	12.70	38.10	12.70	15.24	22.23	10.16	78	8.00
LAT-27-361-1	1 000	Self-laminating Polyester	4	47.63	80.44	24.59	50.80	22.23	5.46	12	17.50
LAT-29-737-10	10 000	Tedlar	10	16.51	5.08	5.08	20.32	22.23	8.26	480	10.00
LAT-30-737-10	10 000	Tedlar	5	31.75	9.53	9.53	40.64	22.23	11.43	125	
LAT-30-737-10-YL	10 000	Tedlar	5	31.75	9.53	9.53	40.64	22.23	11.43	125	
LAT-35-361-2.5	2 500	Self-laminating Polyester	6	30.48	38.10	12.70	32.23	22.23	10.16	36	8.00
LAT-37-799-1	1 000	Nylon Cloth	9	20.32	36.50	36.50	22.86	22.23	7.62	54	11.50
LAT-37-799-2.5	2 500	Nylon Cloth	9	20.32	36.50	36.50	22.86	22.23	7.62	54	11.50
LAT-38-799-1	1 000	Nylon Cloth	13	12.70	36.50	36.50	15.24	22.23	10.16	78	11.50
LAT-38-799-2.5	2 500	Nylon Cloth	13	12.70	36.50	36.50	15.24	22.23	10.16	78	11.50
LAT-39-799-1	1 000	Nylon Cloth	7	25.40	36.50	36.50	27.94	22.23	7.62	42	11.50
LAT-40-799-1	1 000	Nylon Cloth	13	12.70	19.05	19.05	15.24	22.23	10.16	156	
LAT-40-799-5	5 000	Nylon Cloth	13	12.70	19.05	19.05	15.24	22.23	10.16	156	

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)
Tedlar® is a registered trademark of Dupont

Data Communications Equipment and Cabling Labels



Brady cable labels have a proprietary adhesive that helps them stay attached.

Voice and Data Cabling Labels

B-361 Self-laminating Polyester

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Write-on Height C (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet	Max. Wire Diameter (mm)
LAT-17-361-1	1 000	Self-laminating Polyester	7	25.40	25.40	8.64	27.94	22.23	11.43	63	5.00
LAT-17-361-2.5	2 500	Self-laminating Polyester	7	25.40	25.40	8.64	27.94	22.23	11.43	63	5.00
ELAT-18-361-2.5	2 500	Self-laminating Polyester	7	25.00	33.00	11.00	27.50	14.50	10.00	56	7.00
LAT-18-361-1	1 000	Self-laminating Polyester	7	25.40	33.78	12.70	27.94	21.18	11.43	49	6.50
LAT-18-361-2.5	2 500	Self-laminating Polyester	7	25.40	33.78	12.70	27.94	21.18	11.43	49	6.50
ELAT-19-361	1 000	Self-laminating Polyester	7	25.00	80.44	24.00	27.00	21.18	11.50	21	17.50
LAT-19-361-1	1 000	Self-laminating Polyester	7	25.40	80.44	24.64	27.94	21.18	11.43	21	17.50

Workstation Labels

B-124 Paper

B-707 Rough Surface White Polyester

B-712 Rough Surface Translucent Polyester



Brady LAT-176-124 is precut for desi-strip inserts in faceplates.

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-7-707-10	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	175
LAT-8-707-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-8-712-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-41-707-10	10 000	Polyester	5	38.10	9.53	40.64	22.23	7.62	125
LAT-41-712-10	10 000	Polyester	5	38.10	9.53	40.64	22.23	7.62	125
LAT-45-707-10	10 000	Polyester	13	12.70	9.53	15.24	22.23	10.16	325
LAT-45-712	10 000	Polyester	13	12.70	9.53	15.24	22.23	10.16	325
LAT-46-707-10	10 000	Polyester	13	12.70	12.70	15.24	22.23	10.16	247
LAT-47-707-10	10 000	Polyester	5	38.10	12.70	40.64	22.23	7.62	100
LAT-47-712-10	10 000	Polyester	5	38.10	12.70	40.64	22.23	7.62	100
LAT-176-124-WT	1 000	Paper	4	50.17	9.53	—	—	—	104

Faceplate Identification

B-124 Paper

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-176-124-WT	1 000	Paper	4	50.17	9.53	—	—	—	104

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)

ELAT = Sheet Size: 210 mm x 297 mm (A4)

Data Communications Equipment and Cabling Labels



LAT-43-707 and LAT-44-707 are designed for patch panel identification.



Brady's LabelMark™ software program includes LAT-177 labels preloaded with 3 pair, 4 pair, and 5 pair numbering schemes for identifying 110 terminal blocks.

Patch Panel and 110 Block Identification

B-124 Non Adhesive Paper

B-707 Rough Surface White Polyester

B-759 General Purpose Paper

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-43-707-2.5	2 500	Polyester	2	73.03	9.53	—	22.23	36.83	40
LAT-44-707-2.5	2 500	Polyester	2	91.44	9.53	—	22.23	16.51	40
LAT-46-707-10	10 000	Polyester	13	12.70	12.70	15.24	22.23	10.16	247
LAT-175-124-BL	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-BR	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-GR	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-GY	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-OR	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-PL	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-RD	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-YL	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-175-124-WT	380	Paper	2	77.77	12.70	12.70	23.83	30.18	38
LAT-177-124-BL	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-BR	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-GR	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-GY	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-OR	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-PL	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-RD	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-YL	180	Paper	1	200.66	12.07	—	—	—	18
LAT-177-124-WT	180	Paper	1	200.66	12.07	—	—	—	18
LAT-178-759-WT	150	Paper	1	168.28	15.88	—	22.23	23.81	15

General Communication Identification

B-747 Permanent White or Yellow Polyester

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
ELAT-13-747W	2 500	Polyester	4	47.00	21.00	49.00	14.50	8.00	48
ELAT-13-747-YL	2 500	Polyester	4	47.00	21.00	49.00	14.50	8.00	48
LAT-13-747-2.5	2 500	Polyester	4	47.63	21.16	50.80	21.18	7.87	44
LAT-13-747YL-2.5	2 500	Polyester	4	47.63	21.16	50.80	21.18	7.87	44
LAT-14-747-1.5	1 500	Polyester	4	47.63	33.78	50.80	21.18	8.00	28
LAT-24-747-1	1 000	Polyester	3	44.45	25.40	55.88	25.40	29.85	21
LAT-24-773-1	1 000	Polyester	3	44.45	25.40	55.88	25.40	29.85	21

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)

ELAT = Sheet Size: 210 mm x 297 mm (A4)


General Identification Labels

Brady's polyester materials, B-747 and B-773, are perfect for on-demand printing of rating plates. They eliminate the hassle of purchasing pre-printed labels, and permit better control of labeling design and cost.



Rating Plates and Asset Identification

- B-409 Abrasion-Resistant White Polyolefin**
- B-410 Tamper-evident White Polyolefin**
- B-707 Rough Surface White Polyester**
- B-709 Removeable White Polyester**
- B-712 Rough Surface Translucent Polyester**
- B-747 Permanent White or Yellow Polyester**
- B-759 General Purpose Paper**



Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-5-759-10	10 000	Paper	8	20.32	12.70	25.40	22.23	8.89	152
LAT-7-410-10	10 000	Polyolefin	7	25.40	12.70	27.94	22.23	11.43	133
LAT-7-707-10	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
LAT-7-709-10	10 000	Removable Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-7-747W	10 000	Polyester	7	25.00	13.00	27.50	14.30	10.00	140
LAT-7-747-10	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
LAT-7-747-10-YL	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
LAT-8-707-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-8-712-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
ELAT-8-747W	10 000	Polyester	7	25.00	9.00	27.50	14.30	10.00	203
LAT-8-747-10	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-8-747-10-YL	10 000	Polyester	7	25.40	9.53	27.94	22.23	11.43	175
LAT-13-409-2.5	2 500	Polyolefin	4	47.63	21.16	50.88	21.18	7.87	44
LAT-13-410-2.5	2 500	Polyolefin	4	47.63	21.16	50.88	21.18	7.87	44
LAT-13-707-2.5	2 500	Polyester	4	47.63	21.16	50.88	21.18	7.87	44
ELAT-13-747W	2 500	Polyester	4	47.00	21.00	49.00	14.50	8.00	48
ELAT-13-747-YL	2 500	Polyester	4	47.00	21.00	49.00	14.50	8.00	48
LAT-13-747-2.5	2 500	Polyester	4	47.63	21.16	50.80	21.18	7.87	44
LAT-13-747YL-2.5	2 500	Polyester	4	47.63	21.16	50.80	21.18	7.87	44
LAT-13-759-2.5	2 500	Paper	4	47.63	21.16	50.88	21.18	7.87	44
LAT-14-747-1.5	1 500	Polyester	4	47.63	33.78	50.80	21.18	8.00	28
LAT-21-707-1	1 000	Polyester	3	63.50	25.40	66.04	22.23	7.62	27
LAT-21-747-1	1 000	Polyester	3	63.50	25.40	66.04	22.23	7.62	27
LAT-21-747-1-YL	1 000	Polyester	3	63.50	25.40	66.04	22.23	7.62	27
LAT-31-747W-1	1 000	Polyester	3	50.80	22.86	71.12	22.23	7.62	30
LAT-31-759-1	1 000	Paper	3	50.80	22.86	71.12	22.23	7.62	30
LAT-32-747	1 000	Polyester	2	76.20	22.86	81.28	22.23	29.21	20
LAT-32-759-1	1 000	Paper	2	76.20	22.86	81.28	22.23	29.21	20
LAT-33-707-1	1 000	Polyester	3	50.80	36.50	71.12	22.23	7.62	18
ELAT-33-747W-2.5	2 500	Polyester	3	50.00	12.00	55.00	20.00	25.00	63
LAT-33-747W-1	1 000	Polyester	3	50.80	36.50	71.12	22.23	7.62	18
LAT-33-759-1	1 000	Paper	3	50.80	36.50	71.12	22.23	7.62	18
LAT-34-707-1	1 000	Polyester	2	76.20	36.50	81.28	22.23	29.21	12
ELAT-34-747W-1	1 000	Polyester	3	64.00	34.00	66.00	20.00	8.00	21
LAT-34-747	1 000	Polyester	2	76.20	36.50	81.28	22.23	29.21	12
LAT-34-759-1	1 000	Paper	2	76.20	36.50	81.28	22.23	29.21	12
LAT-41-707-10	10 000	Polyester	5	38.10	9.53	40.64	22.23	7.62	125
LAT-42-707-10	10 000	Polyester	17	14.22	14.22	15.24	22.23	11.94	187
LAT-43-707-2.5	2 500	Polyester	2	73.03	9.53	—	22.23	36.83	40
LAT-44-707-2.5	2 500	Polyester	2	91.44	9.53	—	22.23	16.51	40
LAT-45-707-10	10 000	Polyester	13	12.70	9.53	15.24	22.23	10.16	325
LAT-45-712-10	10 000	Polyester	13	12.70	9.53	15.24	22.23	10.16	325
LAT-46-707-10	10 000	Polyester	13	12.70	12.70	15.24	22.23	10.16	247
LAT-47-707-10	10 000	Polyester	5	38.10	12.70	40.64	22.23	7.62	100
LAT-47-712-10	10 000	Polyester	5	38.10	12.70	40.64	22.23	7.62	100


LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)
 ELAT = Sheet Size: 210 mm x 297 mm (A4)

LASER LABELS

General Identification Labels

Rating Plates and Asset Identification (Continued)

B-712 Rough Surface Translucent Polyester
B-722 Translucent Polyester
B-773 Metallised Polyester



Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
ELAT-7-722	10 000	Metallised Polyester	7	25.00	13.00	27.50	14.50	10.00	140
LAT-7-722-10	10 000	Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-7-773	10 000	Metallised Polyester	7	25.00	13.00	27.50	14.50	10.00	140
LAT-7-773-10	10 000	Metallised Polyester	7	25.40	12.70	27.94	22.23	11.43	133
ELAT-13-722	2 500	Polyester	4	47.00	21.00	49.00	14.50	8.00	48
LAT-13-712-2.5	2 500	Polyester	4	47.63	21.16	50.88	21.18	7.87	44
LAT-13-722-2.5	2 500	Polyester	4	47.63	21.16	50.88	21.18	7.87	44
LAT-20-773-2.5	2 500	Metallised Polyester	5	38.10	19.05	40.64	22.23	6.35	60
ELAT-21-722	1 000	Polyester	3	63.00	25.00	65.00	14.50	8.50	30
LAT-21-712-1	1 000	Polyester	3	63.50	25.40	66.04	22.23	7.62	27
ELAT-21-773	1 000	Metallised Polyester	3	63.00	25.00	65.00	14.50	8.50	30
LAT-21-773-1	1 000	Metallised Polyester	3	63.50	25.40	66.04	22.23	7.62	27
LAT-41-712-10	10 000	Polyester	5	38.10	9.53	40.64	22.23	7.62	125
LAT-42-712-10	10 000	Polyester	17	14.22	14.22	15.24	22.23	11.94	187
ELAT-35-773-2.5	2 500	Metallised Polyester	6	27.00	27.00	31.00	20.00	14.00	54
ELAT-36-773	1 000	Metallised Polyester	6	27.00	8.00	31.00	20.00	14.00	192
ELAT-37-773-5	5 000	Metallised Polyester	6	27.00	12.50	31.00	20.00	14.00	126
ELAT-38-773-2.5	2 500	Metallised Polyester	6	27.00	18.00	31.00	20.00	14.00	84

Brady's durable PermaShield™ labels are protected by a clear overlaminate film, so they remain clear and easy-to-read, even in harsh environments.



PermaShield™ Labels

B-747 White Polyester with B-966 Clear Polyester Overlaminated
B-773 Metallised Polyester with B-966 Clear Polyester Overlaminated

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-23-747-2.5	2 500	Polyester	6	25.40	12.70	34.29	25.40	6.99	60
LAT-23-773-2.5	2 500	Metallised Polyester	6	25.40	12.70	34.29	25.40	6.99	60
LAT-24-747-1	1 000	Polyester	3	44.45	25.40	55.88	25.40	29.85	21
LAT-24-773-1	1 000	Metallised Polyester	3	44.45	25.40	55.88	25.40	29.85	21

Available in 210.00 x 297.00 sheets for prototyping labels when you wish to cut your own sizes.



Sheet Labels for Prototyping

B-409 Abrasion-Resistant White Polyolefin Film
B-722 Translucent Polyester
B-747 White or Yellow Polyester
B-773 Metallised Polyester

Order Reference	Pieces per Package	Material	Labels per Row	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat D (mm)	Top Margin E (mm)	Left Margin F (mm)	Labels Per Sheet
LAT-28-409-25-SH	25	Polyolefin	1	215.90	279.40	—	—	—	1
ELAT-28-722	25	Polyester	1	210.00	297.00	—	—	—	1
LAT-28-722-25-SH	25	Polyester	1	215.90	279.40	—	—	—	1
ELAT-28-747W	25	Polyester	1	210.00	297.00	—	—	—	1
ELAT-28-747-YL	25	Polyester	1	210.00	297.00	—	—	—	1
LAT-28-747-25-SH	25	Polyester	1	215.90	279.40	—	—	—	1
LAT-28-747Y-25-SH	25	Polyester	1	215.90	279.40	—	—	—	1
ELAT-28-773	25	Metallised Polyester	1	210.00	297.00	—	—	—	1
LAT-28-772-25-SH	25	Metallised Polyester	1	215.90	279.40	—	—	—	1

LAT = Sheet Size: 215.90 mm x 279.40 mm (US letter)
 ELAT = Sheet Size: 210 mm x 297 mm (A4)