

Product Search Data Sheet

Note: This datasheet may be out of date Please download the latest datasheet of LQH32CN561K23# from the official website of Murata Manufacturing

LQH32CN561K23#

"#" indicates a package specification code.

Size Code 3225 (1210) in mm (in inch)


















< List of part numbers with package codes > LQH32CN561K23K LQH32CN561K23L



Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
К	330Embossed Tape	7500
L	180Embossed Tape	2000

Mass (typ.)	
1 piece	0.06g



When rated current is applied to the products, selftemperature rise shall be limited to 20°C max and inductance will be within ±10% of initial inductance value.

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. ${\it Please \ download \ the \ latest \ data sheet \ of \ LQH32CN561K23\# \ from \ the \ official \ website \ of \ Murata \ Manufacturing}}$

LQH32CN561K23#

"#" indicates a package specification code.



L size	3.2±0.3mm
W size	2.5±0.2mm
T size	2.0±0.2mm
Size code inch (mm)	1210 (3225)
Inductance	560µH±10%
Inductance Test Frequency	1kHz
Rated current (Itemp) (Based on Temperature rise)	60mA
Max. of DC resistance	28.6Ω
Class of magnetic shield	No Shield
Self resonance frequency (min.)	5MHz
Operating Temperature Range(Self- temperature rise is not included)	-40°C to 85°C
DC Resistance Intermediate Values	22.0Ω±30%
Series	LQH32CN_23

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




LQH32CN561K23#

"#" indicates a package specification code.





Impedance - Current Characteristics



Impedance - Frequency Characteristics

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

