Note: This datasheet may be out of date. Please download the latest datasheet of LQM21DN220N00# from the official website of Murata Manufacturing

LQM21DN220N00#

"#" indicates a package specification code.

Low DC Resistance Type


















< List of part numbers with package codes > LQM21DN220N00L LQM21DN220N00K LQM21DN220N00B

Appearance & Shape





Dimension of	lan at t	Inductance: 1.0 to 10µH	0.85±0.2
	ion or r	Inductance: 22 to 47µH	1.25±0.2

References

Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	3000
К	330Embossed Tape	10000
В	Bulk(Bag)	1000

Mass (typ.)	
1 piece	0.016g

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of LQM21DN220N00# from the official website of Murata Manufacturing

LQM21DN220N00#

"#" indicates a package specification code.



L size	2.0±0.2mm
W size	1.25±0.2mm
T size	1.25±0.2mm
Size code inch (mm)	0805 (2012)
Inductance	22µH±30%
Inductance Test Frequency	1MHz
Rated current (Itemp) (Based on Temperature rise)	13mA
Max. of DC resistance	0.65Ω
Class of magnetic shield	Ferrite Core
Self resonance frequency (min.)	16MHz
Operating Temperature Range(Self- temperature rise is not included)	-40°C to 85°C
Series	LQM21DN_00

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LQM21DN220N00#

"#" indicates a package specification code.



The charts below may show another part number which shares its characteristics.





Frequency Characteristic (Z) 1600 Impedance[ohm] 10M 100M 1G 10G Frequency[Hz] LQM21DN220N00 |Z|

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

