

Note: This datasheet may be out of date Please download the latest datasheet of LQW32FT4R7M0H# from the official website of Murata Manufacturing Co., Ltd. m/en-US/products/productdetail?partno=LQW32FT4R7M0H%23

LQW32FT4R7M0H#

"#" indicates a package specification code.

Wide frequency band, high inductance, for power line.




< List of part numbers with package codes > LQW32FT4R7M0HB LQW32FT4R7M0HL



Appearance & Shape







Please consider 'Notice (Rating).' When rated current is applied to the products, inductance will be within ±30% of nominal inductance. Keep the temperature (ambient temperature plus self-generation of heat) under 125°C. When rated current is applied to the products, the temperature rise caused by self-generated heat shall be limited to 40°C max. Rated current is derated as following figure depending on the operating temperature.

1 of 5

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date. Please download the latest datasheet of LQW32FT4R7M0H# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=LQW32FT4R7M0H%23

LQW32FT4R7M0H#

"#" indicates a package specification code.

References

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	500
L	180Embossed Tape	1500

Mass (typ.)	
1 piece	0.073g

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



2 of 5



Note: This datasheet may be out of date. Please download the latest datasheet of LQW32FT4R7M0H# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=LQW32FT4R7M0H%23

LQW32FT4R7M0H#

"#" indicates a package specification code.

Specifications

L size	3.2±0.2mm	
W size	2.5±0.2mm	
T size	2.3±0.2mm	
Size code inch (mm)	1210 (3225)	
Inductance	4.7µH±20%	
Inductance Test Frequency	1MHz	
Rated current (Isat) (Based on Inductance change)	850mA	
Rated current (Itemp) (Based on Temperature rise)	850mA(Ambient temp.85°C)720mA(Ambient temp.105°C)400mA(Ambient temp.125°C)	
Max. of DC resistance	0.28Ω	
Class of magnetic shield	Ferrite Core	
Self resonance frequency (min.)	100MHz	
Operating Temperature Range	-40°C to 125°C	
Series	LQW32FT_0H	

3 of 5

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Note: This datasheet may be out of date. Please download the latest datasheet of LQW32FT4R7M0H# from the official website of Murata Manufacturing Co., Ltd. ta.com/en-US/products/productdetail?partno=LQW32FT4R7M0H%23




LQW32FT4R7M0H#

"#" indicates a package specification code.



In operating temperatures exceeding +85°C, derating of current is necessary for this series. Please apply the derating curve shown in the chart according to the operating temperature.

Derating of Rated Current



Operating Temperature (°C)

4 of 5

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




Note: This datasheet may be out of date Please download the latest datasheet of LQW32FT4R7M0H# from the official website of Murata Manufacturing Co., Ltd. US/products/productdetail?partno=LQW32FT4R7M0H%23


LQW32FT4R7M0H#


"#" indicates a package specification code.

Characteristic Data

The charts below may show another part number which shares its characteristics.







5 of 5

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Attention