

## Morsetti per C.S. linguetta

## Terminal blocks for P.C.B. wire protection

## Blocs de jonction C.I. languette

## Printklemmen Drahtschutz

# CZM




**Modulo componibile** Interlocking modules  
*Elements modulaires* Zusammensteckbare Blöcke





**2/3 Poli** 2/3 Poles  
*2/3 Pôles* 2/3 Polzahl



<b>Passo</b> <i>Pas</i>	Pitch <i>Rastermaß</i>	mm
<b>Tensione nominale</b> <i>Tension nominale</i>	Rated Voltage <i>Bemessungsspannung</i>	V
<b>Corrente nominale</b> <i>Intensité nominale</i>	Rated Current <i>Bemessungsstrom</i>	A

<b>Tipo cavi</b> <i>Type du conducteur</i>	Types of cable <i>Leitungstypen</i>	
<b>Sezione nominale</b> <i>Section nominale</i>	Nominal cross section <i>Nennquerschnitt</i>	mm <sup>2</sup> AWG




<b>Lunghezza spelatura</b> <i>Longueur de dénudage</i>	Stripping length <i>Abisolierlänge</i>	mm
<b>Coppia di torsione</b> <i>Couple de serrage</i>	Torque <i>Drehmoment</i>	Nm Lb-in
<b>Temperatura</b> <i>Température</i>	Temperature <i>Temperatur</i>	°C
<b>Corpo isolante</b> <i>Corps isolant</i>	Housing <i>Isolierkörper</i>	
<b>Vite</b> <i>Vis</i>	Screw <i>Schraube</i>	
		mm


	IMQ	EN60998
	VDE	EN60998
	UL	UL1059
	cUL	UL1059 + C22.2 n°158

<b>Poli</b> <i>Pôles</i>	Poles <i>Polzahl</i>	<b>X</b> ▶
<b>Colori</b> <i>Couleurs</i>	Colors <i>Farben</i>	<b>Y</b> ▶
<b>Ordinazione</b> <i>Référence de commande</i>	How to order <i>Bestellschlüssel</i>	



<b>Altri dati</b> <i>Autres données</i>	Other information <i>Weitere Informationen</i>	pag. seite
--	---	---------------

<b>5</b>
<b>200</b>
<b>13,5</b>


		
0,5 + 1,5 30 ÷ 14	0,5 + 1 30 ÷ 14	0,5 + 1 30 ÷ 14

<b>6</b>	
<b>0,4</b>	<b>3</b>
<b>85</b>	
<b>PC - UL 94 V0</b>	
<b>M2,5</b>	
	<b>0,6x3,5</b>

V	A	mm <sup>2</sup> /AWG
<b>250</b>	<b>13,5</b>	<b>0,5 + 1</b>
<b>250</b>	<b>13,5</b>	<b>0,5 + 1</b>
<b>300</b>	<b>14</b>	<b>26 + 14</b>
<b>300</b>	<b>14</b>	<b>26 + 14</b>

<b>min 2 - max ...</b>
 
<b>CZM 5 / X Y</b>

<b>135</b>
------------




# CZM..SQ







**Modulo componibile** Interlocking modules  
*Elements modulaires* Zusammensteckbare Blöcke

**2/3 Poli** 2/3 Poles  
*2/3 Pôles* 2/3 Polzahl





<b>5</b>
<b>200</b>
<b>13,5</b>


		
0,5 + 1 30 ÷ 14	0,5 + 1 30 ÷ 14	0,5 + 1 30 ÷ 14

<b>6</b>	
<b>0,4</b>	<b>3</b>
<b>85</b>	
<b>PC - UL 94 V0</b>	
<b>M2,5</b>	
	<b>0,6x3,5</b>

V	A	mm <sup>2</sup> /AWG
<b>250</b>	<b>13,5</b>	<b>0,5 + 1</b>
<b>250</b>	<b>13,5</b>	<b>0,5 + 1</b>
<b>300</b>	<b>14</b>	<b>26 + 14</b>
<b>300</b>	<b>14</b>	<b>26 + 14</b>

<b>min 2 - max ...</b>
 
<b>CZM 5 / X SQ Y</b>

<b>135</b>
------------



To locate additional product specifications and technical drawings go to [www.asi-ez.com](http://www.asi-ez.com)

# CZI



**Blocco unico**  
Monobloc


Single block  
Einzelblock  
2/24 Poli  
2/24 Poles  
2/24 Pôles  
2/24 Polzahl



5

200

13,5



0,5 + 1,5  
30 + 14

0,5 + 1  
30 + 14

0,5 + 1  
30 + 14

6

0,4

3

85

PC - UL 94 V0

M2,5

0,6x3,5


V	A	mm <sup>2</sup> /AWG
250	13,5	0,5 + 1
250	13,5	0,5 + 1
300	14	26 + 14
300	14	26 + 14

min 2 - max 24



CZI 5 / X Y

135




# CZI..SQ



**Blocco unico**  
Monobloc


Single block  
Einzelblock  
2/24 Poli  
2/24 Poles  
2/24 Pôles  
2/24 Polzahl



5

200

13,5



0,5 + 1,5  
30 + 14

0,5 + 1  
30 + 14

0,5 + 1  
30 + 14

6

0,4

3

85

PC - UL 94 V0

M2,5

0,6x3,5


V	A	mm <sup>2</sup> /AWG
250	13,5	0,5 + 1
250	13,5	0,5 + 1
300	14	26 + 14
300	14	26 + 14

min 2 - max 24



CZI 5 / X SQ Y

135



# MRT12



**Blocco unico**  
Monobloc


Single block  
Einzelblock  
2/24 Poli  
2/24 Poles  
2/24 Pôles  
2/24 Polzahl



5

200

24



0,5 + 4  
30 + 12

0,5 + 2,5  
30 + 12

0,5 + 2,5  
30 + 12

6

0,4

3

110

PA - UL 94 V0

M2,5

0,6x3,5


V	A	mm <sup>2</sup> /AWG
250	24	0,2 + 2,5
250	24	0,2 + 2,5
300	18	30 + 12

min 2 - max 24



MRT12 P5 / X Y

135



To locate additional product specifications and technical drawings go to [www.asi-ez.com](http://www.asi-ez.com)