

DIN rail perforated - NS 35/ 7,5 ZN PERF (18X5,2) 2M - 0804278

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



DIN rail perforated, Standard profile, width: 35 mm, height: 7.5 mm, acc. to EN 60715, material: Steel, galvanized, length: 2000 mm, Hole size: 5.2 mm x 18 mm, color: silver

RoHS

Key Commercial Data

Packing unit	1 M
Minimum order quantity	25 M
GTIN	 4 055626 277943
GTIN	4055626277943
Weight per Piece (excluding packing)	1.000 g
Custom tariff number	72166190
Country of origin	Germany

Technical data

Dimensions

Height	7.5 mm
Length	2000 mm
Width	35 mm
Hole width	18.00 mm
Hole height	5.20 mm
Drill hole spacing	25.00 mm

General

Material	Steel
Coating	galvanized
Color	silver

DIN rail perforated - NS 35/ 7,5 ZN PERF (18X5,2) 2M - 0804278

Technical data

Standards and Regulations

Test standard	acc. to EN 60715
---------------	------------------

Classifications

eCl@ss

eCl@ss 4.0	27110800
eCl@ss 4.1	27110800
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141143
eCl@ss 8.0	27141143
eCl@ss 9.0	27400602

ETIM

ETIM 2.0	EC001285
ETIM 3.0	EC001285
ETIM 4.0	EC000212
ETIM 5.0	EC001285
ETIM 6.0	EC001285
ETIM 7.0	EC001285

UNSPSC

UNSPSC 13.2	39121708
UNSPSC 18.0	39121708
UNSPSC 19.0	39121708
UNSPSC 20.0	39121708
UNSPSC 21.0	39121708