




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC HH	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
			A	RELEASE		28-MAR-06	Y.X	N.F




NOTE.  
 1.PART "B" SHOULD FIT PART "A" AFTER CASE INSERTION PROCESS



CONNECTION DIAGRAM  
 (BOTTOM VIEW)



DRILLING DIAGRAM(2/1)  
 (BOTTOM VIEW)



DIMENSION TOLERANCE	
MAX .1mm	±0.1
1mm~MAX.3mm	±0.2
MIN .3mm	±0.3

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN Yang.Xiao	Tyco Electronics EC K.K. Tochigi, Japan											
DIMENSIONS: mm		CHK N.Funayama												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD HSU,CHIEN-HUI	NAME OMIH(1T) SH SPEC394 CUSTOMER DRAWING											
<table border="1"> <tr> <td>0 PLC</td> <td>±</td> </tr> <tr> <td>1 PLC</td> <td>±</td> </tr> <tr> <td>2 PLC</td> <td>±</td> </tr> <tr> <td>3 PLC</td> <td>±</td> </tr> <tr> <td>4 PLC</td> <td>±</td> </tr> </table>		0 PLC	±	1 PLC	±	2 PLC	±	3 PLC	±	4 PLC	±	PRODUCT SPEC	SIZE A3	
0 PLC	±													
1 PLC	±													
2 PLC	±													
3 PLC	±													
4 PLC	±													
MATERIAL SEE MATERIAL TABLE		FINISH	GAGE CODE 00779	DRAWING NO 6-1440000-9										
		WEIGHT	RESTRICTED TO											
		CUSTOMER DRAWING		SCALE 4:1										
		SHEET 1 OF 3		REV A										


8 7 6 5 4 3 2 1

D C B A


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC HH	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

VIEW "C"




"C"



m	OIH-SH-148L,394	7-1440000-7	OIH-SH-148L	48V
m	OIH-SH-148D,394	1-1461373-0	OIH-SH-148D	48V
l	OIH-SH-124L,394	1-1461373-4	OIH-SH-124L	24V
k	OIH-SH-124D,394	1461373-9	OIH-SH-124D	24V
j	OIH-SH-118L,394	7-1440000-2	OIH-SH-118L	18V
i	OIH-SH-118D,394	1461373-8	OIH-SH-118D	18V
h	OIH-SH-112L,394	7-1440000-0	OIH-SH-112L	12V
g	OIH-SH-112D,394	6-1440000-9	OIH-SH-112D	12V
f	OIH-SH-109L,394	1-1440000-3	OIH-SH-109L	9V
e	OIH-SH-109D,394	1461373-7	OIH-SH-109D	9V
d	OIH-SH-106L,394	1-1461373-2	OIH-SH-106L	6V
c	OIH-SH-106D,394	1461373-6	OIH-SH-106D	6V
b	OIH-SH-105L,394	1-1461373-1	OIH-SH-105L	5V
a	OIH-SH-105D,394	0-1461473-5	OIH-SH-105D	5V
No.	EC TYPE NAE	AP PART NAE	PART A	PART B

RELAY TYPE

NOTES:  
 1. LOT NUMBERING SYSTEM AS FOLLOWS:



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	YANG.XIAO			Tyco Electronics EC K.K. Tochigi, Japan		
DIMENSIONS: mm		CHK	N.FUNAYAMA			NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±		APVD	HSU,CHIEN-HUI		OMIH(1T) SH SPEC394 CUSTOMER DRAWING			
MATERIAL SEE MATERIAL TABLE		PRODUCT SPEC			SIZE	GAGE CODE	DRAWING NO	RESTRICTED TO
		FINISH			A3	00779	6-1440000-9	
		WEIGHT			SCALE 4:1		SHEET 2 of 3	REV A
		CUSTOMER DRAWING						

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC  
HH

DIST

REVISIONS

P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

D

D

C

C

B

B

A

A

AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR			UV RESIN	UV SEAL	17
AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR			EPOXY RESIN	SEAL	16
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	UL94 V-0		PBT	CASE	15
AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	CLASS E		UEW	MAGNETIC WIRE	14
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	UL94 V-0		PET	BASE	13
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	UL94 V-0		PBT	BOBBIN	12
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		SOLDER DIP	CP WIRE	COIL TERMINAL	11
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	UL94 V-0		PPS	CARD	10
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			Ag ALLOY	MOVABLE CONTACT	9
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2			Ag ALLOY	STATIONARY CONTACT	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			Cu ALLOY	HINGE SPRING	7
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		SOLDER DIP	Cu ALLOY	B TERMINAL	6
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		SOLDER DIP	Cu ALLOY	M TERMINAL	5
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			STEEL	CORE	3
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			STEEL	ARMATURE	2
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			STEEL	YOKE	1
n	m	l	k	j	i	h	g	f	e	d	c	b	a	INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM	

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION  
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION  
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DWN YANG.XIAO

CHK N.FUNAYAMA

APVD HSU,CHIEN-HUI

PRODUCT SPEC

APPLICATION SPEC


WEIGHT

**tyco** Tyco Electronics EC K.K.  
**Electronics** Tochigi, Japan

NAME  
OMIH(1T) SH SPEC394 CUSTOMER DRAWING

SIZE A3 GAGE CODE 00779 DRAWING NO 6-1440000-9 RESTRICTED TO

DIMENSIONS:  
mm



TOLERANCES, UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±

MATERIAL  
SEE MATERIAL TABLE

FINISH

CUSTOMER DRAWING SCALE 4:1 SHEET 3 OF 3 REV A

8

7

6

5

4

3

2

1