

# Opti-Seal Butt Connector



OSWB-14



OSWB-10



OSWB-16

**RoHS  
Compliant**

## Specifications:

### Bare Part

Material : Copper  
Finish : Electro-Tin Plate

### Tubing

Shrink Temperature : 90°C (194°F)  
Operating Temp. : -55°C (-67°F) to 125°C (257°F) (Continuous)  
Tensile Strength : 4,000 PSI  
Ultimate Elongation : 450%  
Specific Gravity : 0.95  
Longitudinal Change : +1, -10%  
Dielectric Strength : 750 V/Mil  
Water Absorbtion : 1% Max.

Cross-Linked Ionic Polymer  
Meltable, Integral Inner Wall  
Non-Corrosive

| Part Number | AWG   | Tubing Colour | Stripe Colour | Tubing ID (Inches) | Barrel Seam | Length        |               |
|-------------|-------|---------------|---------------|--------------------|-------------|---------------|---------------|
|             |       |               |               |                    |             | Min. (Inches) | Max. (Inches) |
| OSWB-14/25  | 16-14 | Clear         | Blue          | 0.216              | Seamless    | 1.327         | 1.607         |
| OSWB-14/100 |       |               |               |                    |             |               |               |
| OSWB-10/25  | 12-10 | Clear         | Yellow        | 0.279              | Seamless    | 1.439         | 1.738         |
| OSWB-10/100 |       |               |               |                    |             |               |               |
| OSWB-16/25  | 22-18 | Clear         | Red           | 0.186              | Seamless    | 1.327         | 1.607         |
| OSWB-16/100 |       |               |               |                    |             |               |               |

## Part Number Table

| Description                                | Quantity   | Part Number |
|--|------------|-------------|
| Opti-Seal Window Butt Connector, 16-14 AWG | 25 Pieces  | OSWB-14/25  |
|  | 100 Pieces | OSWB-14/100 |
| Opti-Seal Window Butt Connector, 12-10 AWG | 25 Pieces  | OSWB-10/25  |
|  | 100 Pieces | OSWB-10/100 |
| Opti-Seal Window Butt Connector, 22-18 AWG | 25 Pieces  | OSWB-16/25  |
|  | 100 Pieces | OSWB-16/100 |

**Important Notice** : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com  
www.farnell.com  
www.newark.com

