

RoHS
Compliant




Description

These metal glands offer excellent cable retention with a choice of Metric and PG threads and a full range of cable clamping sizes

Features

- Ultra-strong
- Waterproof and dust-proof with ability to resist salt, acid, alkali, alcohol, grease and general solvents
- IP Rating: IP68
- Working Temperature: -20°C to 80°C

Diagram



Material

Lock Nut, Body and Sealing Nut: Nickel Plated Brass

O Ring and Seal: NBR

Claw: Nylon PA66

Part Number Table

Description	Thread Size	Cable Range (mm)	Thread OD L2 (mm)	Thread Length L1 (mm)	Spanner Size C&F (mm)	Part Number
Cable Gland, Brass	PG7	4 - 7	12.5	6	14	PELB0202
	PG9	5 - 8	15.2	7	18	PELB0203
	PG11	6 - 10	18.6	8	20	PELB0204
	PG13.5	8 - 12	20.4	9	22	PELB0205
	PG16	11 - 14	22.5	9	24	PELB0206
	PG21	14 - 18	28.3	9	30	PELB0207

Brass Cable Glands

Description	Thread Size	Cable Range (mm)	Thread OD L2 (mm)	Thread Length L1 (mm)	Spanner Size C&F (mm)	Part Number
Cable Gland, Brass	PG29	18 - 25	37	10	40	PELB0208
	M12×1.5	4 - 7	12	6	14	PELB0209
	M16×1.5	5 - 8	16	7	18	PELB0210
	M20×1.5	8 - 12	20	8	22	PELB0211
	M25×1.5	11 - 14	25	9	27/24	PELB0212
	M32×1.5	16 - 22	32	11	34	PELB0213

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-ELEC is the registered trademark of Premier Farnell Limited 2019.