

Reversible USB 2.0 A Lead Male to Female




Description

Dual reversible USB 2.0 extension cable for quick and easy insertion at either end

Specifications

Connector to Connector : Type A Plug to Micro Type B Plug
 Conductive Resistance : 3Ω (Max.)
 Insulation Resistance : 5MΩ (Min.)
 USB Standard : USB 2.0
 Jacket Colour : Black

Diagram



Note:

1. Cable Wiring: 28AWG Cu×1P+24AWG Cu×2C+ADB(48/0.12ALMG)
 Jacket Material: PVC; OD: 4.5±0.2mm
 Cable Colour: Black
2. Connector A: USB 2.0 A Male Solder Type (reversible)
 Insulation: White
 Contact: Gold Plated
 Shell: Fe, Nickel Plated
3. Connector B: USB 2.0 A Female Solder Type (Reversible)
 Insulation: White
 Contact: Gold Plated
 Shell: Fe, Nickel Plated
4. Over Mold: PVC Black

Part Number Table

Description	L ±T (mm)	Part Number
Reversible USB 2.0 A Lead Male to Female	1000 ±30	PSG91255
	2000 ±30	PSG91256
	3000 ±30	PSG91257
	5000 ±30	PSG91258

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands
 Farnell.com/exclusive-brands
 Element14.com/exclusive-brands

