

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Antenna cable, outside diameter: 10 mm (0.4 in.), inner conductor: solid, attenuation: 1.0 / 1.5 / 2.2 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2x N (male), cable length: 6 m (20 ft.)



Your advantages

- For outdoor installation
- Low attenuation
- UV resistant

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 685405
GTIN	4046356685405
Weight per Piece (excluding packing)	520.000 g
Custom tariff number	85442000
Country of origin	China

Technical data

Dimensions

Fixed cable length	6 m
--------------------	-----

Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

General

Connection 1	Connector connection
--------------	----------------------

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Technical data

General

Connection method	Type N (male)
Note	Both sides
Cable type	PFP-400
External sheath, color	black
Frequency range	400 MHz ... 5.8 GHz
Impedance	50 Ω

Attenuation

868 / 900 MHz	1 dB
2.4 GHz	1.5 dB
5 GHz	2.2 dB

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0	27060805
eCl@ss 4.1	27060805
eCl@ss 5.0	27061805
eCl@ss 5.1	27061800
eCl@ss 6.0	27061800
eCl@ss 7.0	27061805
eCl@ss 8.0	27060310
eCl@ss 9.0	27060310

ETIM

ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 5.0	EC001682
ETIM 6.0	EC001682
ETIM 7.0	EC001682

UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Classifications

UNSPSC

UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121606