



HEAT SHRINK TUBING



✓ Active

TE CONNECTIVITY (TE)

RW-200-3/16-0-SP

Raychem | RW , SP

RW-200-3/16-0-SP

TE Internal Number: CB7837-000

Mil-Spec: M23053/13-001-0

Alias ID: 1-1899445-4

[EU RoHS Compliant](#)

[EU ELV Compliant](#)

Wall Type Single

Resistant To Abrasion, Fluids, Impact

Low Outgassing No

Product Source US

Packaging Method Piece



PRODUCT DRAWING

English

DOCUMENTATION

Product Drawings

RW-200 Tubing-Heat-Shrinkable Chemical-Resistant, High-Temperature

PDF

English

Catalog Pages/Data Sheets

1654025_Sec3_RW-200_RW-200E

PDF

English

Product Specifications

Product Specification

Tubing Customer Specification Report

PDF

English

Raychem Fluoroelastomer Tubing Flexible, Fluid Resistant, Heat-Shrinkable

PDF

English

Product Environmental Compliance

Safety Data Sheet

Heat-Shrinkable Fluoropolymer Products

PDF

English

Heat-Shrinkable Fluoropolymer Products

PDF

German

Heat-Shrinkable Fluoropolymer Products

PDF

French

Heat-Shrinkable Fluoropolymer Products

PDF

Dutch

Heat-Shrinkable Fluoropolymer Products

PDF

Italian

Heat-Shrinkable Fluoropolymer Products

PDF

Spanish

Heat-Shrinkable Fluoropolymer Products

PDF

Swedish

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Wall Type Single

Body Features

Material Systems Code 200

Shrink Ratio 2:1

Color Black

Flexibility Flexible

Material Crosslinked Fluoroelastomer

Fluid Type Aviation Fuel, Hydraulic Fluid, Lubricating Oil, Water

Dimensions

Recovered Wall Thickness (Nominal) 1 mm [.0391 in]

Expanded Inside Diameter (Min) 4.75 mm [.187 in]

Recovered Inside Diameter (Max) 2.4 mm [.094 in]

Usage Conditions

Resistant To Abrasion, Fluids, Impact

Recovery Temperature (°C) 175

Operating Temperature Range (°C) -40 – 200

Flammability Flame-Retardant

Shrink Temperature (Min) (°C) 175

Fluid Resistance Immersion Protection, Splash Protection

Packaging Features

Packaging Method Piece

Other

Low Outgassing No

Product Source US

Statement of Compliance

Statement of Compliance

PDF
