


PART NUMBER	MATERIAL	"B" HEIGHT	IMPRINT AREA "C"	VERTICAL REPEAT "D"	LABELS PER ROW	STANDARD PKG. QTY.
S200X225VA1	GMV	2.250 [57.2]	0.75 +/- .03 [19.1]	2.500 [63.5]	2	500
S200X400VA1	GMV	4.000 [101.6]	1.00 +/- .03 [25.4]	4.250 [108.0]	2	500
S200X650VA1	GMV	6.500 [165.1]	1.50 +/- .03 [38.1]	6.750 [171.5]	2	250
S200X400TA1	GMT1	4.000 [101.6]	1.00 +/- .03 [25.4]	4.250 [108.0]	2	500
S200X225VA1Y	GMV	2.250 [57.2]	0.75 +/- .03 [19.1]	2.500 [63.5]	2	500
S200X400VA1Y	GMV	4.000 [101.6]	1.00 +/- .03 [25.4]	4.250 [108.0]	2	500
S200X650VA1Y	GMV	6.500 [165.1]	1.50 +/- .03 [38.1]	6.750 [171.5]	2	250



NOTES:
 1. MILLIMETERS ARE IN [].
 2. SEE MFG. DRAWING NO. A61150.

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP
1	1-8-07	RVU		REVISED TOLERANCES.	4830	R		
0	9-11-06	RVU		DRAWING RELEASED	4671	R		

CAD FILENAME/LAYERS
100472DE_C10193_S200XxxxVA1x_00.prt

PANDUIT CORP TINLEY PARK, ILLINOIS

OPTIMUM SELF-LAM. S200X***VA1, S200X***TA1
THERMAL TRANSFER PRINTABLE LABELS

UNLESS OTHERWISE SPECIFIED,
 DIMENSIONAL TOLERANCES ARE:
 (.X) ± .03 (.XXX) ± .010
 (.XX) ± .015 ANGLES ±

UNLESS OTHERWISE SPECIFIED,
 ALL DIMENSIONS ARE GIVEN IN
 INCHES, THIRD ANGLE PROJECTION

SCALE: NTS

DRAWN BY: RVU MAT'L: SEE TABLE

DATE: 9-22-04

DRAWING NO. C10193 DWG SIZE A