



CONNECTORS

SCREENED



✓ Active

TE CONNECTIVITY (TE)

SLM40AB-1410A-25-0

Raychem | Tinel Backshells

SLM40AB-1410A-25-0

TE Internal Number: CX5797-000

Not EU RoHS Compliant

Not EU ELV Compliant

Cable Diameter Range 79 – 127 mm [313 – 5 in]

Adapter Entry Size 10

TE Adapter Code 40

Material Aluminum

Adapter Plating Material Cadmium per SAE AMS-QQ-P-416, Type II, Class 3, over appropriate under plate, per SAE AS85049 (500 Hour Salt Spray)

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

Spin-Lock Adapter, Heat Shrinkable Molded Part, Sealed, Code 40

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Catalog Pages/Data Sheets

Spin-Lock Variable Angle Backshell

PDF

English

Product Specifications

Product Specification

Assembly Guide For Raychem Spin Lock Adapters With Molded Strain Relief

PDF

English

Adapter Finish Specifications

PDF

English

Spin-Lock Adapter Ordering Information

PDF

English

Product Environmental Compliance

REACH Substance Communication Document

RSCD_Cadmium

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Style Spin-Lock VAB

Termination Device Type Side-Entry Tinel-Lock Ring, Tinel-Lock Ring

Connector Shell Size 15, D

Body Features

Adapter Entry Size 10

TE Adapter Code 40

Material Aluminum

Adapter Plating Material Cadmium per SAE AMS-QQ-P-416, Type II, Class 3, over appropriate under plate, per SAE AS85049 (500 Hour Salt Spray)

Dimensions

Cable Diameter Range 79 – 127 mm [313 – 5 in]

Industry Standards

Connector Detail Specification Number D38999/20, D38999/24, D38999/26, D38999/40, D38999/42, D38999/46, D38999/47

Other

Connector General Specification Number MIL-DTL-38999 Series III/Class C,F,K,W, MIL-DTL-38999 Series IV/Class C,F,W, MIL-DTL-38999 Series IV/Class C,W, MIL-DTL-38999 Series IV/Class F,W

Statement of Compliance

Statement of Compliance

PDF