


TE Internal #: T4161210004-003 M8/M12 Cable Assemblies, Sensor/Actuator, 4 Positions, A M8 /M12 Cable Assembly Keying, Plug, M12 Pigtail, Right Angle, Cable Assembly Length 1500 mm

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > M8/M12 Cable Assemblies > M12 A-CODE MALE R/A SINGLE ENDED CABLE



M8/M12 Application Type: Sensor/Actuator

Number of M8/M12 Cable Assembly Positions: 4 M8/M12 Cable Assembly Keying: A M8/M12 Cable Assembly Connector Type: Plug M8/M12 Cable Assembly Type: M12 Pigtail

All M12 A-CODE MALE R/A SINGLE ENDED CABLE (140)

Features

Product Type Features

| LED | Without |
|---|----------------|
| Cable Type | PVC |
| Product Type | Cable Assembly |
| Assembly Type | Pigtail |
| M8/M12 Cable Assembly Connector Type | Plug |
| M8/M12 Cable Assembly Type | M12 Pigtail |
| M8/M12 Cable Assembly Shielded | Yes |
| Configuration Features | |
| Number of M8/M12 Cable Assembly Positions | 4 |
| M8/M12 Cable Assembly Keying | A |
| M8/M12 Cable Assembly Configuration | Single Ended |
| Electrical Characteristics | |
| Operating Voltage | 250 VDC |

T4161210004-003

M8/M12 Cable Assemblies, Sensor/Actuator, 4 Positions, A M8/M12 Cable Assembly Keying, Plug, M12 Pigtail, Right Angle, Cable Assembly Length 1500 mm



Body Features

| Connector Color | Blue |
|--|--------------|
| Cable Exit Angle | Right Angle |
| Environmental Protection | With |
| Conductor Material | Copper Alloy |
| Cable Jacket Color | Black |
| Contact Features | |
| Contact Current Rating | 4 A |
| Mechanical Attachment | |
| Screw & Hole Thread Size | M12 |
| M8/M12 Cable Assembly Mounting Angle | Right Angle |
| Housing Features | |
| M8/M12 Cable Assembly Housing Material | GF Nylon |
| Dimensions | |
| Wire Size | 22 AWG |
| Cable Assembly Length | 1500 mm |
| | |

Operation/Application

| M8/M12 Application Type | Sensor/Actuator |
|---|--|
| Packaging Features | |
| Packaging Method | Bag |
| Other | |
| Field Serviceable | Yes |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| For compliance documentation, visit the product page on TE.com> | Compliant with Exemptions Compliant with Exemptions |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | |

T4161210004-003

M8/M12 Cable Assemblies, Sensor/Actuator, 4 Positions, A M8/M12 Cable Assembly Keying, Plug, M12 Pigtail, Right Angle, Cable Assembly Length 1500 mm



Pb (1.9% in Pb-Alloy in Copper)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-SE594-M1CC M12 A-CODE FEMALE R/A PIGTAIL TE Part # CAT-SE594-M1BB M12 A-CODE FEMALE R/A SINGLE ENDED CABL


Customers Also Bought



T4161210004-003

M8/M12 Cable Assemblies, Sensor/Actuator, 4 Positions, A M8/M12 Cable Assembly Keying, Plug, M12 Pigtail, Right Angle, Cable Assembly Length 1500 mm





Documents

Product Drawings RPC-M12-MR-4CON-PVC-1.5SH

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T4161210004-003_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T4161210004-003_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T4161210004-003_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

Product Specifications Application Specification

English