Tektronix®

Passive 10X Voltage Probe

TPP0100, TPP0101 Datasheet



The TPP0100 and TPP0101 probes are 100 MHz, 10X passive voltage probes with 10 M Ω input resistance.

Key features

- 10X Attenuation
- 100 MHz Bandwidth
- 1.3 m Length
- UL61010-031; 2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008
- Applications:
 - Relative low-frequency measurements
 - Low-frequency computer and telecom measurements
 - Power supplies
 - Low-frequency amplifiers

TPP0100, TPP0101 Passive Voltage probes

The TPP0100 and TPP0101 probes are for use on BNC oscilloscopes with 1 M Ω /13 pF (TPP0100) and 1 M Ω /20 pF (TPP0101) inputs.

Specifications

All specifications are guaranteed unless noted otherwise. All specifications apply to all models unless noted otherwise.

Electrical characteristics

Bandwidth	DC to 100 MHz
Rise time	<3.5 ns (typical)
Compensation range	
TPP0100	8 pF to 18 pF
TPP0101	15 pF to 25 pF
Input resistance	$10~\text{M}\Omega~\pm1.5\%$
Input capacitance	<12 pF (typical)
Propagation delay	~6.1 ns
Maximum input voltage	300 V _{RMS} CAT II

Physical characteristics

Probe cable length 1.3 m (4.2 ft)

EMC, environment, and safety

Temperature range

Operating $-10 \, ^{\circ}\text{C} \text{ to } +55 \, ^{\circ}\text{C} \, (14 \, ^{\circ}\text{F to } 131 \, ^{\circ}\text{F})$ Nonoperating $-51 \, ^{\circ}\text{C} \, \text{to } +71 \, ^{\circ}\text{C} \, (-60 \, ^{\circ}\text{F to } 160 \, ^{\circ}\text{F})$

Humidity

 $\textbf{Operating and nonoperating} \qquad 5\% \text{ to } 95\% \text{ relative humidity (\%RH) up to } 30 \text{ °C (86 °F)}, 5\% \text{ to } 65\% \text{ RH above } +30 \text{ °C (86 °F) up to } +55 \text{ °C (131 °F)}$

Altitude

 Operating
 <3 km (9,842 ft)</td>

 Nonoperating
 <12.2 km (40,026 ft)</td>

Ordering information

Models

TPP0100 For use with BNC oscilloscopes with 1 M Ω , 13 pF inputs For use with BNC oscilloscopes with 1 $M\Omega$, 20 pF inputs TPP0101

Probe packages

TPP0101-PK10 10-pack of TPP0101 probes 50-pack of TPP0101 probes TPP0101-PK50

Standard accessories

003-1433-xx Adjustment tool 013-0362-xx Retractable hook tip 016-0633-xx Color bands, 5 pairs 016-2028-xx

Long ground spring, 2 each 196-3521-xx 6 in. alligator ground lead

Warranty

One-year warranty covering all parts and labor.

Recommended accessories

013-0363-xx Micro hook tip 013-0366-xx Universal IC cap

013-0367-xx BNC-to-probe tip adapter, unterminated

016-2016-xx PCB-to-probe tip adapter, 10-pack

016-2034-xx Short ground spring, 2 each

020-3045-xx Wire, 32 AWG spool

131-8831-xx Compact probe-tip chassis mount

196-3198-xx 6 in. clip-on ground lead with 0.025 in. pin receptacle

196-3512-xx 12 in. alligator ground 206-0569-xx MicroCKT test tip

ϵ



Tektronix is registered to ISO 9001 and ISO 14001 by SRI Quality System Registrar.

Datasheet

ASEAN / Australasia (65) 6356 3900 Belgium 00800 2255 4835* Central East Europe and the Baltics +41 52 675 3777 Finland +41 52 675 3777 Hong Kong 400 820 5835 Japan 81 (3) 6714 3010 Middle East, Asia, and North Africa +41 52 675 3777 People's Republic of China 400 820 5835 Republic of Korea +822 6917 5084, 822 6917 5080 Spain 00800 2255 4835* Taiwan 886 (2) 2656 6688 Austria 00800 2255 4835*
Brazil +55 (11) 3759 7627
Central Europe & Greece +41 52 675 3777
France 00800 2255 4835*
India 000 800 650 1835
Luxembourg +41 52 675 3777
The Netherlands 00800 2255 4835*
Poland +41 52 675 3777
Russia & CIS +7 (495) 6647564
Sweden 00800 2255 4835*

United Kingdom & Ireland 00800 2255 4835*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777
Canada 1 800 83 9200
Denmark -45 80 88 1401
Germany 00800 2255 4835*
Italy 00800 2255 4835*
Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90
Norway 800 16098

Norway 800 16098 Portugal 80 08 12370 South Africa +41 52 675 3777 Switzerland 00800 2255 4835* USA 1 800 833 9200

* European toll-free number. If not accessible, call: +41 52 675 3777

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit www.tek.com.

Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.

09 Feb 2016 51W-25690-2

www.tek.com

