You can view this page in:

EN DE SV FI CS DA EL ES FR HU IT JA KO NL NO PL PT RU SK TR ZH

Detailed information for: TS 40/12-24 C

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

TS 40/12-24 C

General Information

Extended Product Type: TS 40/12-24 C

Product ID: 2CSM401043R0811

EAN: 8012542928607

Catalog Description: TS 40/12-24 C Safety isolating transformer

Long Description: TS-C are ideal for supplying permanent power to meters, auxiliary

> electronic devices and circuits with very low safety voltage (SELV) for bathrooms and showers, lighting, fountains, electro-medical

devices and suchlike.

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Command and Signalling devices » Bells and safety transformers

Ordering

E-Number (Sweden): 5208117

EAN: 8012542928607

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85043121

Dimensions

Product Net Width: 70 mm

Product Net Height: 0.085 m

Product Net Length: 44 mm 0.120 m

Product Net Depth /

Length:

Product Net Weight: $0.965 \, \text{kg}$

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 0.095 m Package Level 1 Height: 0.077 m Package Level 1 Depth / 0.216 m

Length:

Package Level 1 Gross 1.1 kg

Weight:

Package Level 1 EAN: 8012542928607

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and

amendment

Additional Information

Options Provided: None

Output Current Maximum 1,67 A

(I_{out}):

Power Loss: Maximum 4.5 W

Power Supply:40 V·APrimary Voltage:230 VProduct Main Type:TS-C

Product Name: Safety isolating transformer

Rated Operational Voltage: 230 V AC

RoHS Date: 20/04/2006 0.00.00

Secondary Voltage: 12-24 V AC

Certificates and Declarations (Document Number)

Data Sheet, Technical

2CSC400002D0209

Information:

Declaration of Conformity - 2CSC446003D2701

CE:

Environmental Information: See RoHS Information

Instructions and Manuals: on the product body

RoHS Information: 2QD00031

Classifications

ETIM 4: EC002048 - Current transformer

ETIM 5: EC002048 - Current transformer

ETIM 6: EC001547 - Bell transformer

ETIM 7: EC001547 - Bell transformer

Object Classification Code: T

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)



Contact us

Submit your inquiry and we will contact you

CONTACT US

Or contact your ABB Contact Center

© Copyright 2019 ABB