

Fuse set - VF-SI/TR5/1AF - 2901003


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Fuse set, number: 8 Pcs., fuse type: Fuse (TR5), nominal current: 1 A, tripping characteristic: fast-blow (F)

RoHS

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 557184 |
| GTIN | 4046356557184 |
| Weight per Piece (excluding packing) | 6.000 g |
| Custom tariff number | 85361010 |
| Country of origin | Mexico |

Technical data

General

| | |
|----------------------------|--------------------|
| Number of fuses in the set | 8 |
| Nominal voltage U_N | ≤ 250 V AC/DC |
| Nominal current I_N | 1 A |
| Fuse | Fuse |
| Tripping characteristic | fast-blow (F) |
| Fuse rating | TR5 |
| Dimensions | 8.5 x 8 mm |

Environmental Product Compliance

| | |
|------------|--|
| China RoHS | Environmentally Friendly Use Period = 50 |
|------------|--|

Fuse set - VF-SI/TR5/1AF - 2901003

Technical data

Environmental Product Compliance

| | |
|--|---|
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |
|--|---|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27142000 |
| eCl@ss 4.1 | 27142000 |
| eCl@ss 5.0 | 27142000 |
| eCl@ss 5.1 | 27142000 |
| eCl@ss 6.0 | 27142000 |
| eCl@ss 7.0 | 27142002 |
| eCl@ss 8.0 | 27142002 |
| eCl@ss 9.0 | 27142002 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000313 |
| ETIM 3.0 | EC000035 |
| ETIM 4.0 | EC000035 |
| ETIM 5.0 | EC002704 |
| ETIM 6.0 | EC002704 |
| ETIM 7.0 | EC002704 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211824 |
| UNSPSC 7.0901 | 39121421 |
| UNSPSC 11 | 39121421 |
| UNSPSC 12.01 | 39121421 |
| UNSPSC 13.2 | 39121627 |

Approvals

Approvals

Approvals

EAC

Fuse set - VF-SI/TR5/1AF - 2901003

Approvals

Ex Approvals

Approval details

| | | |
|-----|---|--------------------------|
| EAC |  | RU C- DE.A*30.B.01742 |
|-----|---|--------------------------|
