

Connector component - VS-PPC-C1-PC-ROBK - 1404773

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Sealing plug for push-pull panel mounting frame, data (VS-PPC-F1...), IP54 degree of protection



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	6.7 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Mechanical characteristics

Color	black
-------	-------

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27379218
eCl@ss 7.0	27379218
eCl@ss 8.0	27379218

ETIM

ETIM 3.0	EC002040
ETIM 4.0	EC002040

Connector component - VS-PPC-C1-PC-ROBK - 1404773

Classifications

ETIM

ETIM 5.0	EC002040
----------	----------

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details

EAC

Drawings

Connector component - VS-PPC-C1-PC-ROBK - 1404773

Dimensional drawing



Sealing plug for push-pull panel mounting frame

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>