





[Search Only Products /](#)

Wire Marker: Vinyl Coated Fabric, Black on White, 1.5 in H

# Wire Marker: Vinyl Coated Fabric, Black on White, 1.5 in H



## Product Highlights

**Material:**

Cloth

**Dimensions:**

0.75 in H x 0.25 in W

**UOM:**

Pack of 25 Cards

**Color:**

Black on White

**Part Number:**

WM-C3-SC-PK

**ADD TO CART**

1



### Add To Favorites

People Also Viewed



## Overview

B-500 Repositionable Vinyl Cloth wire markers from Brady® are perfect for your general wire marking needs.

- Card-mounted wire markers allow for quick, on-the-spot wire marking
- Brady B-500 Repositionable Vinyl Cloth holds tightly to surfaces but allows item to be repositioned with ease if necessary
- Excellent flexibility for wrapping around curved surfaces
- Withstands moderate heat, oil, water and dirt

## Specifications

---

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material Number                | <b>B-500</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Country of Origin              | US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney. |
| Cards or Sheets per Pack       | 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Catalog Page #                 | <a href="#">225</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Dimensions                     | 0.75 in H x 0.25 in W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| UOM                            | Pack of 25 Cards                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Finish                         | Matte                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Maximum Service Temperature °F | 176 °F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Minimum Service Temperature °F | -40 °F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Number                 | 114049                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| UPC                            | 662820976967                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Quantity per Card or Sheet     | 36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Thickness                      | 0.0088 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| UNSPSC                         | 39131507                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Adhesive Type                  | Repositionable Rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Applications                   | Cable & Wire Marking                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Color                          | Black on White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Label/Media Format             | Die-Cut on Cards                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Label Properties               | Repositionable Labels                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Material                       | Cloth                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Printer and Label Applications | Wire & Cable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Resistance Properties          | Abrasion-Resistant, Corrosion-Resistant, Humidity-Resistant, Oil-Resistant, UV-Resistant, Water-Resistant, Weather-Resistant                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Serialization                  | No Serialization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Text Legend                    | C3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Solutions

[Floor Marking Guide](#)

## Services

[Lockout Tagout Services](#)

## Help

[Contact Us](#)

## Resources

[Find a Distributor](#)

GHS Label Compliance  
Lockout Tagout Compliance  
Arc Flash Labeling Requirements  
Cable and Wire Label Options  
Product and Barcode Labeling

Arc Flash Services  
Confined Space Services  
Software Programming & Integration  
Label Template & File Conversion  
Printer Use & Training  
Printer Preventative Maintenance  
Toll and Custom Coating  
Authentication & Tracking Services

Website Feedback  
Knowledge Center  
Printer Drivers & Firmware  
Brady Software Updates  
Safety Data Sheets  
Technical Data Sheets  
WEEE-RoHS Compliance  
Product Certification  
Printer Registration


Design Custom Safety Signs  
Create Custom THT Labels  
Printer Selection Tool  
Label Selection Tool  
Digital Catalog  
Request a Catalog  
Interactive Facility Map  
EPA e-Manifest Update

**Corporate** **Other BradyContact Sites**

[About](#)  
[Careers](#)  
[Investors](#)  
[Privacy Policy](#)  
[Terms and Conditions](#)  
[Terms of Use](#)  
[ISO Certificates](#)  
[Distributor Portal](#)  
[International Sites](#)  
[Safety Services & Software](#)  
[Brand Protection Solutions](#)

6555 W. Good Hope Rd.  
Milwaukee, WI 53223  
Phone: 888-250-3082  
Hours: 7am-6pm CT  
Monday - Thursday;  
Friday 7am-5pm CT

**Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.**



2019 © Brady Worldwide, Inc.