

[Labels](#) / [Printer Labels and Ribbons](#) / [Portable Printer Labels](#) / [LS2000 Labels](#) /  
LS2000 Series Self-Laminating Vinyl Labels



## LS2000 Series Self-Laminating Vinyl Labels

**Part Number:**

WML-1231-292-22

**Label/Tape Size:**

2.25 in H x 2 in W

**Material:**

Vinyl

**Material Number:**

B-292

**Color:**

Clear/White

**For Use with Printer:**

LS2000 Labeling System

[ADD TO CART](#)

1

**PEOPLE ALSO VIEWED**

## OVERVIEW

Self-Laminating Vinyl (B-292) is a matte vinyl with a clear overlamine to protect graphics against oil, water, and mild solvents.

- Vinyl labels feature clear "trailer" that wraps to protect printed text
- Flexible, self-extinguishing material conforms to most surfaces
- Operating temperature of -40°F to 150°F (-40°C to 65.5°C)
- RoHS Compliant; and UL Recognized when printed with Brady Series R2000, R5000, and R7300 ribbons

## SPECIFICATIONS

Anti-Skid Surface?	N/A
Material Number	<b>B-292</b>
Dimensions	2.25 in H x 2 in W
UOM	Roll of 250 Labels
Finish	Matte
Indoor or Outdoor Use	Outdoor Use
Label/Tape Size	2.25 in H x 2 in W
Maximum Service Temperature °F	158 °F
Minimum Service Temperature °F	-40 °F
Overlamine Included	Overlamine Included
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.75 in H x 2 in W
Printable Area Height	0.75 in
Printable Area Width	2 in
Product Number	32681
UPC	662820326816
Quantity per Roll	250
Quantity per Row	1
Secondary Label Included	Secondary Label is Not Included
Tamper Indication Type	N/A
Thickness	0.004 in

Trade Name	LS2000
Adhesive Type	Acrylic
Applications	Cable & Wire Marking, Panel Labeling
Color	Clear/White
For Use with Printer	LS2000 Labeling System
Header	No Header
Label/Media Format	Roll
Language	No Text
Material	Vinyl
Material Properties	Flame-retardant, Self-Laminating
Print Technology	Dot Matrix
Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
Shape	Rectangle
Suggested Ribbon Series	R2000, R5000, R7300

## Solutions

[Floor Marking Guide](#)  
[GHS Label Compliance](#)  
[Lockout Tagout Compliance](#)  
[Arc Flash Labeling Requirements](#)  
[Cable and Wire Label Options](#)  
[Product and Barcode Labeling](#)  
[Brand Protection Solutions](#)

## Services

[Lockout Tagout Services](#)  
[Arc Flash Services](#)  
[Confined Space Services](#)  
[Visual Workplace Services](#)  
[Hazcom GHS Services](#)  
[Software Programming & Integration](#)  
[Label Template & File Conversion](#)  
[Printer Use & Training](#)  
[Printer Preventative Maintenance](#)  
[Toll and Custom Coating](#)  
[Authentication & Tracking Services](#)

## Help

[Contact Us](#)  
[Knowledge Center](#)  
[Printer Drivers & Firmware](#)  
[Brady Software Updates](#)  
[Safety Data Sheets](#)  
[Technical Data Sheets](#)  
[WEEE-RoHS Compliance](#)  
[Product Certification](#)  
[Printer Registration](#)

## Resources

[Find a Distributor](#)  
[Printer Selection Tool](#)  
[Label Selection Tool](#)  
[Digital Catalog](#)  
[Request a Catalog](#)



**Brady**  
 (NYSE:BRC)  
 is a  
 manufacturer  
 of complete  
 solutions  
 that  
 identify and  
 protect  
 people,  
 products  
 and places.  
 Brady's  
 products  
 help  
 customers  
 increase  
 safety,  
 security,  
 productivity  
 and  
 performance  
 and include  
 high-  
 performance  
 labels,  
 signs, safety  
 devices,  
 printing  
 systems  
 and  
 software.

**Contact**  
 6555  
 W.  
 Good  
 Hope  
 Rd.  
 Milwaukee,  
 WI  
 53223  
 Phone:  
 888-  
 250-  
 3082  
 Hours:  
 7am-  
 6pm  
 CST  
 Monday  
 -  
 Friday

**About**  
[Corporation](#)  
[Privacy](#)  
[Policy](#)  
[Terms](#)  
 and  
[Conditions](#)  
[Terms](#)  
 of Use  
[ISO](#)  
[Certificates](#)

**Other**  
[Brady](#)  
[Sites](#)  
[Distributor](#)  
[Portal](#)  
[International](#)  
[Sites](#)  
[Safety](#)  
[Services](#)  
 &  
[Software](#)  
[Smart](#)  
[ID](#)  
[Brand](#)  
[Protection](#)



© 2018 Brady Worldwide, Inc.