



Thermocouple Cable PTFE Insulated Twin Twisted Pair



- ♦ PTFE twin twisted pair for extending or making simple thermocouples
- Single pair of PTFE insulated conductors twisted together
- Good mechanical strength and flexibility, resistant to oils, acids and other adverse fluids
- Suitable for steam & pressure applications, autoclaves, sterilizers etc.
- ♦ Tolerance Class 1 for optimum accuracy
- ♦ Insulation rating -75°C to 260°C
- ♦ Colour coded to IEC-584-3

T/C Type	Conductors	Cores	Reel Length	Manufacturers Part No.	Farnell Order Code
К К К	1/0.2mm 1/0.2mm 1/0.2mm 1/0.2mm	+Green/-White +Green/-White +Green/-White	10m 25m 50m 100m	WK-200-D WK-200-D WK-200-D WK-200-D	XF-1308-FAR 335-8161 163-3495 163-3497
K	1/0.315mm	+Green/-White	25m	WK-201-D	XF-1263-FAR
K	1/0.315mm	+Green/-White	50m	WK-201-D	XF-1256-FAR
K	1/0.508mm	+Green/-White	25m	WK-202-D	XF-1268-FAR
K	1/0.508mm	+Green/-White	50m	WK-202-D	XF-1251-FAR
l	1/0.2mm	+Black/-White	25m	WJ-244-D	335-8150
l	1/0.2mm	+Black/-White	50m	WJ-244-D	XF-1261-FAR
T	1/0.2mm	+Brown/-White	10m	WT-300-D	XF-1267-FAR
T	1/0.2mm	+Brown/-White	25m	WT-300-D	335-8173
T	1/0.2mm	+Brown/-White	50m	WT-300-D	163-3498
T	1/0.2mm	+Brown/-White	100m	WT-300-D	163-3499

About Labfacility

Formed in 1971, Labfacility specialize in the field of Temperature and Process Measurement.

We are the largest UK manufacturer of both temperature sensors and thermocouple connectors

Quality & Service

Quality and Service are key elements in the continued growth of Labfacility.

Technical support is always freely available from our experienced technical sales teams and the company has ISO9001 accreditation.

Contact Details

Email sales@labfacility.com

Website
www.labfacility.com